

OptiFDTD Publication References – 2013

- [1] Takeshi Baba, “**Focusing properties of the AuAl₂O₃-Ag plasmonic metalwaveguide with two-dimensional periodic stub resonators**”, Journal of the optical society of America B (JOSA B), Vol., 30, Issue 4. Pp. 967-973, 2013.
- [2] Salvatore Tuccio, et. al. “**Subwavelength coherent control and coupling of light in plasmonic nanoresonators on dielectric waveguides**”, Journal of the optical society of America B (JOSA B), Vol. 30, Iss.2, pp. 450-455 2013.
- [3] Surasak Chiangga, et.al. “**Optical bistability investigation in a nonlinear silicon microring circuit**”, Journal of light wave technology. Vol. 31, Issue7, pp. 1101-1105, 2013.
- [4] Nghia Nguyen-huu, et.al. “**Tailoring the optical transmission spectra of double-layered compound metallic gratings**”, IEEE, Photonics Journal. Feb. 2013. Vol.5, Issue1,
- [5] Lei Zhang and et. al. “**Systematic investigation on light intensification by typical subsurface cracks on optical glass surfaces**”, Applied Optics. Vol. 52. Iss.5. Feb 2012. Pp. 980-989.
- [6] Yin-Jung Chang and Chun-Yu Chen, “**Ultracompact, narrowband three-dimensional plasmonic waveguide bragg grating in metal/multi-insulator/metal configuration**”, Applied optics, Vol. 52. Iss.4 Feb 2013, pp. 889-898.
- [7] Mehrdad Irannejad, Bo Cui. “**Effects of refractive index variations on the optical transmittance spectral properties of the nano-hole arrays**”, Plasmonics, March 2013.
- [8] Chee Leong Tan, and et. al. “**Optical absorption enhancement of hybrid-plasmonic-based metal-semiconductor-metal photodetector incorporating metal nanogratings and embedded metal nanoparticles**”, Optics express, Vol. 21. N0.2. Jan. 2013. pp. 1713-

[9] Zhiping Zhou; Yi Yu. “**Silicon photonic devices based on binary lazed gratings**”, Opt. Eng. Mar.2013.

[10] M. Mahjouri-Samani; et. al. “**Plasmonic-Enhanced carbon nanotube infrared bolometers**”, Nanotechnology, Jan.2013,

[11] A. Weiss, et. al. “**Fabrication of subwavelength holes using nanoimprint lithography**”, SPIE proceedings, Vol. 8613. Feb, 2013

[12] S. Dominguez, and et. al. “**Design, optimization and fabrication of 2D photonic crystals for solar cells**”, Photonics and nanostructures-fundamentals and applications. Vol. 11, Iss. 1, Feb 2013, pp. 29-36.

[13] K. Yu, et. al. “**Structural integration design for enhanced photoluminescence in butterfly scales**”, Soft Matter. 2013, 9, 2614-2620

[14] Yao Zhang and Baojun Li, “**Particle sorting using a subwavelength optical fiber**”, Laser and photonics reviews, Vol. 7, Issue2, pp. 289-296, 2013

[15] Po-hsun Lei and et. al. “**Improved efficiency of GaInP/(In)GaAs/Ge Solar cells using textured liquid-phase-deposited (LPD) ZnO**”. Journal of physics D: applied physics. Vol. 46, No. 12, 2013.

[16] Sherif A Tawfik and Mohamed A. Swillam. “**Plasmonic slot waveguides with core nonlinearity**”, Proc. SPIE 8623. Ultrafast phenomena and nanophotonics XVII. March 2013.

[17] N. Janrao; and et. al. “**Improved efficiency and enhanced slow light performance in photonic crystal waveguides using rectangular unit cells**”, Proc. SPIE 8760. International conference on communication and electronics system design. Jan. 2013.

[18] Lo, Yu-Lung, “**Numerical modeling and physical investigation on optical response from developed omnidirectional nanogratings for optoelectronic devices**”, Master/Doctoral thesis. Jan.2013, National Cheng-Kung University.

OptiFDTD Publication References – 2012

[1] Jerome Martin, et. al. “**Intense Bessel-like beams arising from pyramid-shaped microtips**”. Optics letters, Vol. 37, Issue7, 2012. pp. 1274-1276.

[2] Bing Chen; et. al. “**Compact wavelength splitter based on self-imaging principles in Bragg reflection waveguides**”. Applied optics, Vol. 51 Issue29, 2012, pp. 7124-7129.

[3] Zhou wei; et. al. “**Design of high efficiency fully-etched binary blazed gratings nearly vertical coupler**”. Photonics technology letters, IEEE, Vol. 24, June 2012., pp.1048-1050.

[4] X.N. He, and et. al. “**Surface-enhanced Raman spectroscopy using gold-coated horizontally aligned carbon nanotubes**”, Nanotechnology, Vol.23. Issue. 2, May 2012.

[5] Wei Ping Wang, Guo Xing Zheng, “**The Impact of parameters of hyperlens with artificially engineered metamaterial on sub-diffraction imaging**”. Advanced Material Research, Vol.482-484, Feb.2012. pp.1111-1114.

[6] S. Park and et. al. “**Doubly resonant metallic nanostructure for high conversion efficiency of second harmonic generation**”, Optics express. Vol. 20. Iss. 5. Feb. 2012. pp. 4856-4870.

[7] Zhou Wei and et. al. “**Symmetrical fully-etched and chirped beam splitter based on a subwavelength binary blazed grating**”. Optoelectronics letters. Vol. 8. No, 3, May 2012. pp.182-

[8] Nghia Hguyen-Huu, et.al. “**Development of polarization-intensitive thermophotovoltaic emitter with binary grating**”, Optics express, Vol.

20, Iss6. 2012. pp. 5882-5890.

[9] T. Pustelny and P. Struk. "Numerical analyses of optical couplers for planar waveguides", Opto-electronics review, No.3, 2012, pp.201-206

[10] Takeshi Baba, "**Analysis of optical properties of metal/insulator/metal plasmonic metawaveguide with serial periodic stub resonators**". Optic express, Vol. 20, Iss.16. Jun.30, 2012, pp 18377-18386.

[11] Nagesh Janrao, and et. al. "**Improved design of photonic crystal waveguides with elliptical holes for enhanced slow light performance**", Optical engineering. Vol.51. iss. 6, Jun. 2012.

[12] S. Lou, et. al. "**Butterflies: inspiration for solar cells and sunlight water-splitting catalysts**". Energy & Environmental science, Issue11, 2012. 9195-9216

[13] Pradeep, R. et.al. "**Reduction of channel power instabilities in Raman amplifiers for ROADM configured WDM networks**". Wireless and optical communications, IEEE. Sep2012.

[14] Yin Yin, et. al. "**Exploring Rolled-up Au-Ag Bimetallic microtubes for surface enhanced Raman scattering sensor**", The Journal of physical chemistry C, 2012, pp. 25504-25508

[15] Tomescu R. Kusko C. "**Numerical study of coupling in dielectric loaded plasmons**", 2012 international semiconductor conference (CAS), Oct, 2012.pp.491-496

[16] R. Sharma, Vijay, S.K, Bhatnagar, "**Low chromatic dispersion and high birefringence investigated in elliptical air hole photonic crystal fiber**", Journal of modern optics, Vol. 59, issue3, 2012. pp. 205-212

[17] P. Rodriguez-Franco, et. al. "**Fabrication of broad area optical nanostructures for high throughput chemical sensing**", 14th international meeting on chemical, 2012, pp.1475-1478.

- [18] A. Abumazwed; A. G. Kirk. **“Study of plasmonic properties of gold nanoparticles of different shapes with emphasis on gold nanopryramids”**, SPIE8412, photonic north 2012.
- [19] Qiu Yibo, et. al. **“Polarization-manipulated dual-band enhanced optical transmission through subwavelength rectangular hole array on metallic film”**, IEEE Journal of selected topics in quantum electronics. July 2012,
- [20] C. Kusko. And et. al. **“Nonlinear plasmonic coulers”**. 2012 International semiconductor conference (CAS). Pp. 143-146.
- [21] R. Tomescu, et. al. **“Design and simulation fo dielectric-loaded surface plasmon waveguide with applications in the visible range”**, SPIE prceedings. Vol. 8411, Modeling, Design and simulation. Aug, 2012.
- [22] Wen binbin, et. al. **“Recent Development of IV-VI mid-infrared photonic crystal laser on silicon”**, 2012 symposium on photonic and optoelectronics.
- [23] Wen binbin, et. al. **“Mid-infrared lead-salt surface emitting photonic crystal laser on silicon”**, MRS preceedings. VOI. 1396, 2012.
- [24] S. Dominguez, et.al. **“Optimization of 1D photonic crystal to minimize the reflectance of silicon solar cells”**, Photonics and nanostructures –fundamentals and applications, Vol. 10, Issue1, Jan2012, pp. 46-53.
- [25] Janjya Kumar Sharma, **“Modeling and simulation for multiple resonant Lorentz dispersive material for integrated optics”**, Optik- International Journal for light and Electron Optics, Vol123, Issue22, Nov, 2012, pp.2068-2071
- [26] K. Sharma, **“On photonic bandgap PCF structure based on Pascal’s triangle and its propagation characteristics”**, International

Journal of advanced electronics and communication systems, Vol 1,
No.2, 2012,

[27] E. Cibula; D. Donlagic,, Proc. Spie 8439, Optical sensing and detection II, April23, 2012. **“In-line optical fiber-sensor based on low-loss semi-reflective in-fiber mirrors”**

[28] Lerosse, Damiana, et. al. **“CMOS integrated geometrically tunable optical filter”**, 2012 23rd Annual SEMI, pp.97-101.

[29] Pranaw Kumar, Dinesh Bhatia. **“On photonic bandgap PCF strcutures with circular holes based on dolph TSCHEBYSHEFF polynomials and its propagation characteristics”**, International journal of electronics and communication engineering & Technology, July,2012. pp.01-09.