

OptiSystem Publication References – 2014

- [1] H.-L. To, S.-H. Lee, and W.-J. Hwang, "A burst loss probability model with impatient customer feature for optical burst switching networks," *International Journal of Communication Systems*, 2014.
-
- [2] N. L. Win, "A Chromatic Dispersion Compensator for On-Off Shift Keying (OOK) Modulation Format by Mid-span Spectral Inversion," *International Journal of Science, Engineering and Technology Research*, vol. 3, no. 6, pp. 1618–1622, 2014.
-
- [3] D. Praveen, S. A. Kumar, and R. G. Sangeetha, "A Comparative Analysis of Transimpedance Amplifier in Giga-bit Optical Communication," *Research Journal of Engineering Sciences*, vol. 3, no. 3, pp. 1–25, 2014.
-
- [4] W. A. Imtiaz, Y. Khan, P. M. A. Shah, and M. Zeeshan, "A Comparative Study of Multiplexing Schemes for Next Generation Optical Access Networks," *Journal of Optical Communications*, 2014.
-
- [5] R. A. Kadhim, H. A. Fadhil, S. A. Aljunid, and M. S. Razalli, "A new two dimensional spectral/spatial multi-diagonal code for noncoherent optical code division multiple access (OCDMA) systems," *Optics Communications*, vol. 329, pp. 28–33, 2014.
-
- [6] H. Singh, M. L. Singh, and R. Singh, "A novel full duplex 16Gbps SCM/ASK radio over fiber WDM-PON sharing wavelength for up-and down-link using bidirectional reflective filter," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 14, pp. 3473–3475, 2014.
-
- [7] G. Cheng, B. Guo, S. Liu, and W. Fang, "A novel full-duplex radio-over-fiber system based on dual octupling-frequency for 82GHz W-band radio frequency and wavelength reuse for uplink connection," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 15, pp. 4072–4076, 2014.
-
- [8] Y. Liu, Z. Tong, Y. Cao, W. Zhang, and L. Li, "A novel joint technique for PAPR reduction in CO-OFDM systems," *Optoelectronics Letters*, vol. 10, no. 4, pp. 277–280, 2014.
-
- [9] A. Malekmohammadi and M. A. Elsherif, "A novel multilevel coding technique for high speed optical fiber communication systems," *Optik-International Journal for*

Light and Electron Optics, vol. 125, no. 2, pp. 639–643, 2014.

- [10] A. Hraghi and M. Menif, “A Performance evaluation of WDM-Nyquist systems generated by optical flat comb source and based on POLMUX-QPSK, POLMUX-DQPSK, POLMUX-16QAM and POLMUX-64QAM,” in SPIE Photonics Europe, 2014.
- [11] S. Pani and A. Rajawat, “A Review on DWDM and MIMO-OFDM comparison,” International Journal of Engineering Science & Advanced Technology, vol. 4, no. 1, pp. 10–17, 2014.
- [12] K. Ravi and S. Prakasam, “A Review–OFDM-RoF (Radio over Fiber) System for Wireless Network,” International Journal of Research in Computer and Communication Technology, vol. 3, no. 3, pp. 344–349, 2014.
- [13] H. Chen, C. Gan, M. Yin, and C. Ni, “A Single-Star Multi-Ring Structure of Self-Healing Wavelength Division Multiplexing Optical Access Network,” Fiber and Integrated Optics, vol. 33, no. 1–2, pp. 4–16, 2014.
- [14] M. M. Tharwat, I. Ashry, A. Elrashidi, and A. M. Mahros, “A study of green wavelength-division multiplexed optical communication systems using cascaded fiber bragg grating,” Optical Fiber Technology, 2014.
- [15] A. A. Khadir, B. F. Dhahir, and X. Fu, “Achieving Optical Fiber Communication Experiments by OptiSystem,” International Journal of Computer Science and Mobile Computing, vol. 3, no. 6, pp. 42–53, 2014.
- [16] S. H. Alnajjar, F. Malek, M. S. Razalli, and M. S. Ahmad, “Aerial Platforms to Ensure Communications Reliability in Disaster Areas,” Advanced Science Letters, vol. 20, no. 2, pp. 369–374, 2014.
- [17] T. S. Divya, “All Optical Packet Switches Based On Space Switch Array for the Transmission of Higher Data Rate Using NRZ and RZ Modulation,” Journal of Electronics and Communication Engineering, vol. 9, no. 2, pp. 19–24, 2014.
- [18] L. Li, R. Gu, Y. Ji, L. Bai, and Z. Huang, “All-optical OFDM network coding scheme for all-optical virtual private communication in PON,” Optical Fiber Technology, vol. 20, no. 2, pp. 61–67, 2014.
- [19] X. Li, Z. Zhu, S. Zhao, Y. Li, L. Han, and J. Zhao, “An intensity modulation and

coherent balanced detection intersatellite microwave photonic link using polarization direction control,” *Optics & Laser Technology*, vol. 56, pp. 362–366, 2014.

[20] A. Shrivastava and M. Saxena, “Analysis of Optical Communication System for Compensation of Dispersion by Comparing using Fiber Bragg Grating,” *International Journal of Computer Science and Mobile Computing*, vol. 3, no. 6, pp. 542–546, 2014.

[21] N. Kumar, A. K. Jaiswal, M. Kumar, and A. Kumar, “Analysis of Pulse Code Modulation Formats in High Speed Optical Transmission System Using FBG and EDFA.,” *Journal of Electronics and Communication Engineering*, vol. 9, no. 1, pp. 125–130, 2014.

[22] Y. Almalaq and M. Matin, “Analysis of Transmitting 40Gb/s CWDM Based on Extinction Value and Fiber Length Using EDFA,” *Analysis*, vol. 4, no. 2, 2014.

[23] M. Sharma, P. K. Raghav, R. Chaudhary, and A. Sharma, “Analysis on Dispersion Compensation in WDM Optical Network using Pre, Post and Symmetrical DCF based on Optisystem,” *MIT International Journal of Electronics and Communication Engineering*, vol. 4, no. 1, pp. 58–63, 2014.

[24] Z. Li, A. Qouneh, M. Joshi, W. Zhang, X. Fu, and T. Li, “Aurora: A Cross-Layer Solution for Thermally Resilient Photonic Network-on-Chip,” presented at the Large Scale Integration (VLSI) Systems, *IEEE Transactions on*, 2014.

[25] F. J. Diaz-Otero and P. Chamorro-Posada, “Bundled solitons collision-induced frequency shifts in multiple-channel WDM dispersion managed systems,” *Optics Communications*, vol. 332, pp. 1–8, 2014.

[26] L. Liu, J. He, J. Tang, Y. Cheng, and L. Chen, “Channel estimation method using orthogonal sequences in frequency domain for 100-Gb/s polarization-division multiplexing single-carrier frequency domain equalization coherent optical communication systems,” *Optical Engineering*, vol. 53, no. 5, pp. 056116–056116, 2014.

[27] M. Z. Norazimah, S. A. Aljunid, H. M. Al-Khafaji, H. A. Fadhil, and M. S. Anuar, “Channel spacing effect on SAC-OCDMA system based modified-AND subtraction detection scheme,” *Key Engineering Materials*, vol. 594, pp. 1059–1065, 2014.

-
- [28] S. Rajalakshmi, N. Baid, and V. Charan, "CHARACTERISTIC ANALYSIS OF DENSE WDM FOR LONG HAUL OPTICAL NETWORKS," *International Journal of Advanced Scientific and Technical Research*, vol. 3, no. 4, pp. 251–259, 2014.
-
- [29] E. A. El-Fiky, Z. A. El-Sahn, and H. M. Shalaby, "Coherent PONs for next generation access: OIDMA versus OCDMA," in *Computing, Networking and Communications (ICNC), 2014 International Conference on*, 2014, pp. 1011–1015.
-
- [30] P. Mishal Singla and S. Kumar, "Comparative Analysis of EDFA based 64 channel WDM systems for different pumping techniques," *International Journal of Scientific & Engineering Research*, vol. 5, no. 6, pp. 66–69, 2014.
-
- [31] A. V. Patel, R. B. Patel, and K. A. Mehta, "Comparative analysis of single span high speed 40 Gbps long haul optical link using different modulation formats in the presence of Kerr nonlinearity," in *Students' Technology Symposium (TechSym), 2014 IEEE*, 2014, pp. 132–137.
-
- [32] S. Mokhria and M. Sinha, "Comparative Study of CO-OFDM System with Fiber Length and Launch Power," *International Journal of Emerging Research in Management & Technology*, vol. 3, no. 5, pp. 172–176, 2014.
-
- [33] L. Chen, J. He, Y. Liu, L. Chen, and Z. Cao, "Comparison of interpolation algorithms for pilot-aided estimation of orthogonal frequency division multiplexing transmission in reversely modulated optical single sideband system," *Optical Engineering*, vol. 53, no. 5, p. 6108, 2014.
-
- [34] M. H. Shoreh, "Compensation of Nonlinearity Impairments in Coherent Optical OFDM Systems Using Multiple Optical Phase Conjugate Modules," *Journal of Optical Communications and Networking*, vol. 6, no. 6, pp. 549–558, 2014.
-
- [35] F. Xianjie and L. Yinfeng, "CO-OFDM Technology Long Distance Transmission System," *Appl. Math*, vol. 8, no. 2, pp. 901–906, 2014.
-
- [36] N. Zhu, Y. Wang, Z. Xu, J. Chen, H. Qian, and Y. Chen, "Crosstalk in high-speed WDM produced by refractive index fluctuation nonlinear effect," *Optik-International Journal for Light and Electron Optics*, 2014.
-
- [37] D. Xie, J. He, L. Chen, J. Tang, and M. Chen, "Data-aided channel estimation and frequency domain equalization of minimum-shift keying in optical transmission

systems,” Chinese Optics Letters, vol. 12, no. 4, p. 040604, 2014.

[38] M. H. Langaroodi, “Design and performance of a 1550nm free space optical communications link,” California State University, Northridge, 2014.

[39] L. Chrostowski, J. Flueckiger, C. Lin, M. Hochberg, J. Pond, J. Klein, J. Ferguson, and C. Cone, “Design methodologies for silicon photonic integrated circuits,” in SPIE OPTO, 2014.

[40] X. Q. Chen and L. Tang, “Design of Optical Fiber Transmission System Based on Absolute Polar Duty Cycle Division Multiplexing (APDCDM),” in Advanced Materials Research, 2014, vol. 989, pp. 3583–3586.

[41] F. Ullah, K. I. Qureshi, A. Khan, K. H. Khan, and S. A. Shad, “EFFECT OF FOUR WAVE MIXING ON AP-DCDM-WDM FIBER OPTIC SYSTEM AT DIFFERENT CHANNEL SPACING,” SCIENCE INTERNATIONAL (Lahore), vol. 26, no. 2, pp. 589–593, 2014.

[42] N. Kumar, “Enhanced performance analysis of inter-satellite optical-wireless communication (IsOWC) system,” Optik-International Journal for Light and Electron Optics, vol. 125, no. 8, pp. 1945–1949, 2014.

[43] N. Sangeetha, V. N. Krishna, and K. S. S. Reddy, “Enhancement of Quality of Service in Fi-Wi Networks,” International Journal of Advanced Research in Computer and Communication Engineering, vol. 3, no. 3, pp. 5249–5251, 2014.

[44] S. Seyedzadeh, G. A. Mahdiraji, R. K. Z. Sahbudin, A. F. Abas, and S. B. A. Anas, “Experimental demonstration of variable weight SAC-OCDMA system for QoS differentiation,” Optical Fiber Technology, 2014.

[45] L. Andrej, F. Perecar, J. Jaros, M. Papes, P. Koudelka, J. Latal, J. Cubik, and V. Vasinek, “Features and range of the FSO by use of the OFDM and QAM modulation in different atmospheric conditions,” in SPIE Sensing Technology+ Applications, 2014.

[46] S. Saad and L. Hassine, “Fiber Bragg grating technology for hydrogen detection as health monitoring in leakage cases,” in Green Energy, 2014 International Conference on, 2014, pp. 279–283.

[47] N. Garg and V. Singh, “Free Space Optical Communication link using optical Mach-

Zehnder modulator and analysis at different parameters,” in Issues and Challenges in Intelligent Computing Techniques (ICICT), 2014 International Conference on, 2014, pp. 192–195.

[48] P. Kanjanopas, R. Maneekut, and P. Kaewplung, “FTTx with dynamic wavelength and bandwidth allocation,” in Information Networking (ICOIN), 2014 International Conference on, 2014, pp. 517–520.

[49] R. Zhang, J. Ma, Z. Wang, J. Zhang, Y. Li, G. Zheng, W. Liu, J. Yu, Q. Zhang, Q. Wang, and others, “Full-duplex fiber-wireless link with 40Gbit/s 16-QAM signals for alternative wired and wireless accesses based on homodyne/heterodyne coherent detection,” *Optical Fiber Technology*, vol. 20, no. 3, pp. 261–267, 2014.

[50] J. Ma and Y. Zhan, “Full-duplex hybrid PON/RoF link with the 10 Gbit/s 16-QAM signal for alternative wired and 60 GHz millimeter-wave wireless accesses,” *Photonic Network Communications*, vol. 27, no. 1, pp. 16–27, 2014.

[51] R. Giridhar Kumar, I. Sadhu, and N. Sangeetha, “Gain and Noise Figure Analysis of Erbium Doped Fiber Amplifier by Four Stage Enhancement and Analysis,” *International Journal of Scientific and Research Publications*, vol. 4, no. 4, pp. 1–10, 2014.

[52] D. Verma and S. Meena, “Gain Flatness and Bit Error Rate Improvements for an EDFA in WDM System,” *International Journal of Enhanced Research in Science Technology & Engineering*, vol. 3, no. 5, pp. 408–412, 2014.

[53] K. Ismail, P. S. Menon, S. Shaari, A. A. Ehsan, H. Bakarman, N. Arsad, and A. A. A. Bakar, “Gain performance of cascaded and hybrid semiconductor optical amplifier in CWDM system,” *Journal of Nonlinear Optical Physics & Materials*, vol. 23, no. 01, 2014.

[54] B. Patnaik and P. K. Sahu, “High-Speed 100 Gbps/Channel DWDM System Design and Simulation,” in *Intelligent Computing, Networking, and Informatics*, vol. 243, Springer, 2014, pp. 557–563.

[55] M. F. Ahmed, A. H. Bakry, and F. T. Albelady, “High-Speed Modulation of Multiple Quantum Well Laser Diodes,” *Int. J. New. Hor. Phys*, vol. 1, no. 1, pp. 1–7, 2014.

[56] S. Saad, L. Hassine, and W. Elfahem, “Hydrogen FBG sensor using Pd/Ag film with

application in propulsion system fuel tank model of aerospace vehicle,” *Photonic Sensors*, vol. 4, no. 3, pp. 254–264, 2014.

[57] F. Hossain, “Impact of Travelling Wave Semiconductor Optical Amplifier on WDM-FSO System under Fog Attenuation,” *International Journal of Science and Research*, vol. 3, no. 4, pp. 235–238, 2014.

[58] N. Kumar and H. Sohal, “Impact of Various Weather Condition on the Performance of Free Space Optical Communication System,” *Journal of Optical Communications*, vol. 35, no. 1, pp. 45–49, 2014.

[59] M. Mathur, I. Goyal, and G. Singh, “Implementation of a NOR Gate using photonic transistor logic,” *International Journal on Computer Science and Technologies*, vol. 2, no. 1, pp. 29–33, 2014.

[60] M. Tech, “Implementation of High Speed Long Reach Hybrid Radio over Multimode Transmission System,” *International Journal of Science and Research*, vol. 3, no. 4, pp. 235–238, 2014.

[61] N. Kumar, “Improved performance analysis of Gigabit passive optical networks,” *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 7, pp. 1837–1840, 2014.

[62] J. Temga, D. Liu, and M. Zhang, “Improved pilot data aided feed forward based on maximum likelihood for carrier phase jitter recovery in coherent optical orthogonal frequency division multiplexing,” *Frontiers of Optoelectronics*, pp. 1–8, 2014.

[63] S. M. Jahangir Alam, M. R. Alam, H. Guoqing, and M. Z. Mehrab, “Improvement of Bit Error Rate in Fiber Optic Communications,” *International Journal of Future Computer and Communication*, vol. 3, no. 4, pp. 281–286, 2014.

[64] M. Friedemann, “INTERROGATION OF OPTICAL FIBER SENSORS FOR CIVIL ENGINEERING APPLICATIONS USING WIDELY TUNABLE LASER,” *BRNO UNIVERSITY OF TECHNOLOGY*, 2014.

[65] G. Qazi, A. K. Sharma, H. Najeeb-ud-din Shah, and M. Uddin, “Investigation on inter-modulation products (IMPs) for IM-DD SCM optical links,” *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 5, pp. 1629–1633, 2014.

[66] M. Wang and J.-G. Zhang, “Investigation on wavelength multicasting technology

based on XPM in a highly nonlinear fiber,” *Journal of Modern Optics*, vol. 61, no. 13, pp. 1–8, 2014.

[67] G. Singh, A. Seehra, and S. Singh, “Investigations on order and width of RZ super Gaussian pulse in different WDM systems at 40Gb/s using dispersion compensating fibers,” *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 16, pp. 4270–4273, 2014.

[68] K. Solis-Trapala, J. Kurumida, M. Gao, T. Inoue, and S. Namiki, “K. Solis-Trapala is with the Network Photonics Research Center, National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki 305-8568, Japan (e-mail: k. solis-trapala@aist.go.jp).,” vol. 26, no. 6, pp. 629–632, 2014.

[69] H. Chen, J. He, J. Tang, F. Li, M. Chen, and L. Chen, “Key Laboratory for Micro/Nano OptoElectronic Devices of the Ministry of Education, Hunan University, Changsha 410082, China; College of Information Technology and Engineering, Hunan University, Changsha 410082, China,” *Optical Communications and Networking, IEEE/OSA Journal of*, vol. 6, no. 2, pp. 159–164, 2014.

[70] D. Jyoti, B. Kaur, and K. Singh, “Light Polarized Coherent OFDM Free Space Optical System,” *International Journal of Information & Computation Technology*, vol. 4, no. 14, pp. 1367–1372, 2014.

[71] J. H. Liu, Y. P. Ma, S. R. Ren, Y. Yang, and B. Zhang, “Long Reach 10-Gbps WDM-PON Based on Carrier Distribution and Coherent Detection for Upstream Transmission,” in *Advanced Materials Research*, 2014, vol. 989, pp. 3806–3809.

[72] G. Pandey and A. Goel, “Long reach colorless WDM OFDM-PON using direct detection OFDM transmission for downstream and OOK for upstream,” *Optical and Quantum Electronics*, pp. 1–10, 2014.

[73] S. H. Alnajjar, F. Malek, M. S. Razalli, and M. S. Ahmad, “Low-Altitude Platform to Enhance Communications Reliability in Disaster Environments,” *Journal of Advances in Information Technology*, vol. 5, no. 1, pp. 21–30, 2014.

[74] O. G. Morozov and G. A. Morozov, “Microwave signal processing in two-frequency domain for ROF systems implementation: training course,” in *Optical Technologies for Telecommunications 2013*, 2014.

-
- [75] S. Das and E. Zahir, "Modeling and Performance Analysis of RoF System for Home Area Network with Different Line Coding Schemes Using Optisystem," INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY SCIENCES AND ENGINEERING, vol. 5, no. 6, pp. 1–8, 2014.
-
- [76] V. Sharma and A. Kaur, "Modeling and simulation of long reach high speed inter-satellite link (ISL)," Optik-International Journal for Light and Electron Optics, vol. 125, no. 2, pp. 883–886, 2014.
-
- [77] W. Chen, P. Wang, and J. Yang, "Modelling and analysis of phase modulator based on silicon microring for long-haul transmission," IET Optoelectronics, vol. 8, no. 4, pp. 161–166, 2014.
-
- [78] S. Singh, S. Saini, G. Kaur, and R. S. Kaler, "Multiparameter optimization of a Raman fiber amplifier using a genetic algorithm for an L-band dense wavelength division multiplexed system," Optical Engineering, vol. 53, no. 1, pp. 016103–016103, 2014.
-
- [79] K. Solis-Trapala, T. Inoue, and S. Namiki, "Nearly-Ideal Optical Phase Conjugation based Nonlinear Compensation System," presented at the Optical Fiber Communication Conference, 2014.
-
- [80] D. Singh and P. Kumar, "Noise performance and analysis of long distance Optical fibre Communication System by using Different Modulation Techniques," presented at the International Conference of Advance Research and Innovation, 2014, pp. 525–529.
-
- [81] A. Panda and D. P. Mishra, "Nonlinear Effect of Four Wave Mixing for WDM in Radio-over-Fiber Systems," Journal of Electronics and Communication Engineering Research, vol. 2, no. 4, pp. 1–6, 2014.
-
- [82] X. Han and C.-H. Cheng, "Nonlinear filter based decision feedback equalizer for optical communication systems," Optics express, vol. 22, no. 7, pp. 8712–8719, 2014.
-
- [83] S. Singh, S. Saini, G. Kaur, and R. S. Kaler, "On the Optimization of Raman Fiber Amplifier using Genetic Algorithm in the Scenario of a 64 nm 320 Channels Dense Wavelength Division Multiplexed System," Journal of the Optical Society of Korea, vol. 18, no. 2, pp. 118–123, 2014.

-
- [84] A. Kumar, A. Sharma, and V. K. Sharma, "Optical amplifier: A key element of high speed optical network," in *Issues and Challenges in Intelligent Computing Techniques (ICICT)*, 2014 International Conference on, 2014, pp. 450–452.
-
- [85] N. A. Al-Shareefi, S. I. S. Hassan, F. Malek, R. Ngah, and S. A. Abbas, "Optical Generation of 60 GHz Downstream Data in Radio over Fiber Systems Based on Two Parallel Dual-Drive MZMs.," *International Journal of Engineering & Technology*, vol. 6, no. 2, 2014.
-
- [86] A. Chaudhary, S. Singh, G. Minocha, and H. Rana, "Optimization of Performance of Inter-Satellite Optical Link With Effect of Bit Rate and Aperture," *International Journal of Scientific Research Engineering & Technology*, vol. 3, no. 2, pp. 263–266, 2014.
-
- [87] I. B. Martins, I. Aldaya, G. Perez-Sanchez, and P. Gallion, "Optimization of spectral band utilization in gridless WDM optical network," in *SPIE OPTO*, 2014.
-
- [88] J. Lopez Vizcaino, Y. Ye, F. Jimenez, A. Macho, and P. Krummrich, "Optimized Amplifier Placements for Improved Energy and Spectral Efficiency in Protected Mixed-Line-Rate Networks," in *Optical Fiber Communication Conference*, 2014.
-
- [89] T. T. Naing, "Optimized Dispersion Mapping Scheme for five channel WDM system," *International Journal of Scientific and Research Publications*, vol. 4, no. 5, pp. 1–4, 2014.
-
- [90] M. Z. Jamaludin, F. Abdullah, and others, "Optisystem: An Alternative to Optoelectronics and Fiber Optics Teaching E-Laboratory," *International Journal of Asian Social Science*, vol. 4, no. 2, pp. 307–313, 2014.
-
- [91] S. Srinath, "Performance Analysis of 2.5 Gbps GPON," *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, vol. 3, no. 6, pp. 10148–10155, 2014.
-
- [92] C. RASHIDI, S. ALJUNID, M. ANUAR, H. A. FADHIL, and F. GHANI, "PERFORMANCE ANALYSIS OF A NEW CLASS OF CODES WITH FLEXIBLE CROSS CORRELATION FOR SAC-OCDMA SYSTEM.," *Journal of Theoretical & Applied Information Technology*, vol. 61, no. 1, 2014.
-
- [93] K. Kumar, A. K. Jaiswal, M. Kumar, and N. Agrawal, "Performance Analysis of

dispersion compensation using Fiber Bragg Grating (FBG) in Optical Communication,” International Journal of Current Engineering and Technology, vol. 4, no. 3, pp. 1527–1531, 2014.

[94] S. Seyedzadeh, G. Amouzad Mahdiraji, and A. F. Abas, “Performance Analysis of Duty-Cycle Division Multiplexing over Wavelength Division Multiplexing System,” Fiber and Integrated Optics, vol. 33, no. 3, pp. 232–250, 2014.

[95] V. Senthamizhselvan, R. Ramachandran, and R. Rajasekar, “PERFORMANCE ANALYSIS OF DWDM BASED FIBER OPTIC COMMUNICATION WITH DIFFERENT MODULATION SCHEMES AND DISPERSION COMPENSATION FIBER,” International Journal of Research in Engineering and Technology, vol. 3, no. 3, pp. 287–290, 2014.

[96] N. Sangeetha, R. Garg, S. Purwar, and A. Singh, “Performance Analysis of FBG DEMUX based WDM System by Varying Chirp Functions and Data Rates at Different Electrical Filters,” International Journal of Advanced Research in Computer and Communication Engineering, vol. 3, no. 3, pp. 5869–5872, 2014.

[97] P. Sharma, A. Kumar, and V. K. Sharma, “Performance analysis of high speed optical network based on Dense Wavelength Division Multiplexing,” in Issues and Challenges in Intelligent Computing Techniques (ICICT), 2014 International Conference on, 2014, pp. 446–449.

[98] N. Ahmed, S. A. Aljunid, R. B. Ahmad, N. U. Ahamed, and M. Rahman, “Performance Analysis of Hybrid OCDMA/WDM System for Metro Area Network,” Journal of Optical Communications, vol. 35, no. 1, pp. 39–43, 2014.

[99] A. Chaudhary, S. Singh, G. Minocha, and H. Rana, “PERFORMANCE ANALYSIS OF INTER SATELLITE OPTICAL LINK AND THE EFFECT OF TRANSMITTER AND RECEIVER APERTURE ON ITS PERFORMANCE PARAMETERS,” International Journal of Advanced Technology in Engineering and Science, vol. 2, no. 5, pp. 139–144, 2014.

[100] M. Handa, M. Lal Singh, and R. Singh, “Performance analysis of optical WDM system based on unequal spaced channel allocation (USCA) scheme,” Optik-International Journal for Light and Electron Optics, vol. 125, no. 16, pp. 4462–4264, 2014.

-
- [101] Y. Singh, M. Bharti, and J. Kumar, "Performance Analysis of Optical Wireless Communication Channel Link at Various Bit Rates," *International Journal of Computer Science & Engineering Technology*, vol. 5, no. 1, pp. 26–30, 2014.
-
- [102] K. Kaur and P. K. Singh, "Performance analysis of Subcarrier Multiplexing Technique on Intersatellite Optical Wireless Communication And Its comparison with Wavelength Division Multiplexing," *International Journal of Research in Computer Engineering & Electronics*, vol. 3, no. 3, 2014.
-
- [103] G. Pandey and A. Goel, "Performance analysis of symmetrical 10Gbps colorless WDM-PON using subcarrier modulated downstream and wavelength converted upstream through RSOA," *Optik-International Journal for Light and Electron Optics*, 2014.
-
- [104] N. Pandey, A. K. Jaiswal, M. Kumar, and R. Saxena, "Performance Analysis of WDM Optical Communication System in the Presence of Four Wave Mixing (FWM) Under the Impact of Channel Spacing with Variable Dispersion," *International Journal of Emerging Technology and Advanced Engineering*, vol. 4, no. 4, pp. 874–879, 2014.
-
- [105] J. Li, T. Ning, L. Pei, W. Jian, J. Zheng, H. You, H. Chen, and C. Zhang, "Performance analysis on an instantaneous microwave frequency measurement with tunable range and resolution based on a single laser source," *Optics & Laser Technology*, vol. 63, pp. 54–61, 2014.
-
- [106] R. Kaur, R. Singh, and others, "Performance comparison of pre-, post-and symmetrical-dispersion compensation techniques using DCF on 40Gbps OTDM system for different fibre standards," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 9, pp. 2134–2136, 2014.
-
- [107] A. Agarwal and S. K. Sharma, "Performance Comparison of Single & Hybrid Optical Amplifiers for DWDM System Using Optisystem," *Journal of Electronics and Communication Engineering*, vol. 9, no. 1, pp. 28–33, 2014.
-
- [108] R. Gaur, A. Singhal, and K. Pahwa, "Performance Evaluation of Optical Networks in Multifarious Environments," *Performance Evaluation*, vol. 2, no. 6, 2014.
-
- [109] X. Chen, X. Hu, and D. Huang, "Performance Evaluation of Single Sideband Radio over Fiber System through Modulation Index Enhancement," *Journal of Optical*

Communications.

- [110] J. Sruthi Subash and J. S. Babu, "Performance Improvement of DWDM System by incorporating the Concept of Polarization," *Journal of Electronics and Communication Engineering*, vol. 9, no. 2, pp. 30–32, 2014.
- [111] M. Y. Alhalabi and F. El-Nahal, "Performance Improvement of Wavelength Division Multiplexing Passive Optical Networks (WDM PONs)," 2014.
- [112] G. Qazi, A. K. Sharma, M. Uddin, and others, "Performance investigation on clipping and RIN induced degradation for a single-and two-tone IM-DD SCM optical link," *Optics Communications*, vol. 319, pp. 178–187, 2014.
- [113] G. Qazi, A. K. Sharma, H. Shah, and others, "Performance investigation on harmonic distortion and inter-modulation distortion induced degradation for a single-and two-tone IM-DD SCM optical link," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 9, pp. 2148–2153, 2014.
- [114] H. Chen, J. He, J. Tang, F. Li, M. Chen, and L. Chen, "Performance of 16 QAM-OFDM With New Null Subcarrier Shifting in an Intensity-Modulated Direct Detection System," *Journal of Optical Communications and Networking*, vol. 6, no. 2, pp. 159–164, 2014.
- [115] C. Catalbas and N. O. Unverdi, "Performances of some applications in passive optical networks," in *Signal Processing and Communications Applications Conference (SIU), 2014 22nd*, 2014, pp. 2261–2264.
- [116] J. Temga, L. Deming, M. Hamidine, Z. Minming, and C. H. Maiawe, "Phase Noise Jitter Synchronization for Coherent Optical OFDM via Pilot-Data-Aided and Wiener Filter," *Computer and Information Science*, vol. 7, no. 2, p. p56, 2014.
- [117] Y. Khan, M. I. Afridi, A. M. Khan, W. U. Rehman, and J. Khan, "Power Budget Analysis of Colorless Hybrid WDM/TDM-PON Scheme Using Downstream DPSK and Re-modulated Upstream OOK Data Signals," *Journal of Optical Communications*, pp. 1–7.
- [118] W. A. Imtiaz, Y. Khan, A. Qamar, J. Khan, and N. A. Khan, "Power budget analysis of dual/single feeder fiber WDM-PON," *Optoelectronics Letters*, vol. 10, no. 2, pp. 137–139, 2014.

[119] M. Bi, S. Xiao, H. He, J. Li, L. Liu, and W. Hu, "Power Budget Improved Symmetric 40-Gb/s Long Reach Stacked WDM-OFDM-PON System Based on Single Tunable Optical Filter," *Photonics Journal, IEEE*, vol. 6, no. 2, pp. 1–8, 2014.

[120] S. Chaudhary, A. Amphawan, and K. Nisar, "Realization of free space optics with OFDM under atmospheric turbulence," *Optik-International Journal for Light and Electron Optics*, 2014.

[121] J. Guiying and H. Lirong, "Remodulation scheme based on a two-section reflective SOA," *Journal of Semiconductors*, vol. 35, no. 5, 2014.

[122] M. Z. Jamaludin, F. Abdullah, M. H. Al-Mansoori, N. I. M. Rawi, S. M. Idris, and M. R. Haleem, "Remotely pumped hybrid double-pass L-band optical amplifier utilizing chirped fiber Bragg," *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 2, pp. 620–623, 2014.

[123] R. Li and L. H. Li, "Research of Auto Control about Bias Voltage of High Speed EOM," *Journal of applied science and engineering innovation Vol*, vol. 1, no. 4, 2014.

[124] Y. WANG, H. LI, and Z. HAO, "Research of the PPM Modulation Technology in Space Communication," *Sensors & Transducers*, vol. 164, no. 2, pp. 182–190, 2014.

[125] Y. Feng and L. Q. Huang, "Research on O-OFDM System Based on Hyper Chaos Scrambling Encryption Algorithm," *Applied Mechanics and Materials*, vol. 513, pp. 1903–1906, 2014.

[126] V. Jyoti, "Security Enhancement in Optical Code Division Multiple Access Network," Thapar University, 2014.

[127] R. Asif, R. Basir, and R. Ahmad, "Signal Processing Algorithms for Down-Stream Traffic in Next Generation 10Gbit/s Fixed-Grid Passive Optical Networks," *Advances in OptoElectronics*, vol. 2014, pp. 1–4.

[128] D. S. Dohare, S. Dubey, R. Singh, and S. Kumar, "Simulation and Performance Evaluation of BPON System," presented at the National Conference on Synergetic Trends in engineering and Technology.

[129] X. Y. Zhang and S. L. Zhao, "Simulation and Study for the Optical OFDM

Communication,” *Applied Mechanics and Materials*, vol. 530, pp. 729–733, 2014.

[130] R. Sifta, P. Munster, O. Krajsa, and M. Filka, “Simulation of bidirectional traffic in WDM-PON networks,” *Przeglad Elektrotechniczny*, pp. 95–100, 2014.

[131] B. Yu, Y. Yao, Y. Zhao, C. Liu, and X. Yu, “Simulation research of medium-short distance free-space optical communication with optical amplification based on polarization shift keying modulation,” *Optik-International Journal for Light and Electron Optics*, vol. 125, no. 13, pp. 3319–3323, 2014.

[132] X. Y. Ying, T. J. Liu, J. Li, H. F. Weng, and L. Liu, “Simultaneous Generation of Independent Wired and Wireless Signals Using a Dual-Electrode MZM in ROF System,” *Applied Mechanics and Materials*, vol. 543, pp. 2296–2299, 2014.

[133] S. Singh, S. B. Rana, and S. Kher, “Study and Analysis of a Bi-directional Radio with Fiber Multiplexing System for Communication Services,” *International Journal of Scientific & Engineering Research*, vol. 5, no. 3, pp. 748–758, 2014.

[134] C. Li, D. Wang, and J. Hu, “Study of passive optical network monitoring based on non-OTDR,” *Optoelectronics Letters*, vol. 10, pp. 144–147, 2014.

[135] B. T. Ninh, P. V. Hội, Đ. T. Ngọc, P. T. Anh, and N. Q. Tuấn, “The Effects of ASE Noise and the Position of EDFA Amplifier on Multi-Wavelength OCDM-Based Long-Reach Passive Optical Networks.”

[136] A. Zaki, H. A. Fayed, A. A. El Aziz, and M. H. Aly, “The Influence of Varying the Optical Wavelength on ISL Performance Recognizing High Bit Rates,” *Journal of Electronics and Communication Engineering*, vol. 9, no. 2, pp. 64–70, 2014.

[137] P. Montha, R. Manee kut, and P. Kaewplung, “The performance limitation of 10-Gbps-per-channel-based coarse wavelength division multiplexed passive optical network,” in *Advanced Communication Technology (ICACT), 2014 16th International Conference on*, 2014, pp. 1089–1092.

[138] I. S. Amiri, A. Nikoukar, A. Shahidinejad, and T. Anwar, “The Proposal of High Capacity GHz Soliton Carrier Signals Applied for Wireless Communication,” *Reviews in Theoretical Science*, vol. 2, no. 4, pp. 320–333, 2014.

[139] A. Alphones, X. Li, W. Zhong, and C. Yu, “Time-Domain Adaptive Decision-Directed Channel Equalizer for RGI-DP-CO-OFDM,” *Photonics Technology Letters, IEEE*,

vol. 26, no. 3, pp. 258–288, 2014.

[140] D. Ali Mahdi Hammadi and E. M. Zghair, “Transmission Performance Analysis of Three Different Channels in Optical Communication Systems,” *International Journal of Scientific & Engineering Research*, vol. 5, no. 2, pp. 1615–1618, 2014.

[141] L. Li, D. Wu, L. Han, and G. Hu, “TWA-based channel estimation for CO-OFDM systems,” *Optoelectronics Letters*, vol. 10, pp. 133–136, 2014.

[142] M. G. Mustapha, M. Ajiya, and D. S. Shuaibu, “Uncluttered Gain Roll Out In Erbium Doped Fiber Amplifier,” *International Journal of Computer and Communication Engineering*, vol. 1, no. 1, pp. 64–67, 2014.

[143] G. Kaur and N. Kaur, “Use of Dispersion Compensating Fiber in Optical Transmission Network for NRZ Modulation Format,” *International Journal Of Engineering And Computer Science*, vol. 3, no. 5, pp. 5839–5842, 2014.

[144] B. Beri and N. Kamal, “WDM BASED FSO LINK OPTIMIZING FOR 180KM USING BESSEL FILTER,” *International Journal of Research in Engineering and Technology*, vol. 3, no. 3, pp. 110–115, 2014.

[145] I. Khalil, A. Biswas, R. B. Rakib, M. A. Sayeed, and M. S. M. Sher, “WDM Transmission for Free Space Optics under Different Atmospheric Conditions,” *Trends in Opto-Electro & Optical Communications*, vol. 4, no. 1, pp. 7–12, 2014.

OptiSystem Publication References – 2013

[1] F. Almasoudi, K. Alatawi, and M. A. Matin, “1.05 Tb/s Optical-OFDM Using ROF over 3600 km,” *Optics and Photonics Journal*, vol. 3, p. 318, 2013.

[2] P. Venugopal, Y. Karthik, and A. Jariwala Rudra, “10Gbps Optical Line Using Electronic Equalizer and its Cost Effectiveness,” *International Journal of Engineering & Technology (0975-4024)*, vol. 5, no. 4, 2013.

[3] A. O. Aldhaibani, S. Yaakob, R. Q. Shaddad, S. M. Idrus, M. Z. Abdul Kadir, and A.

B. Mohammad, "2.5 Gb/s hybrid WDM/TDM PON using radio over fiber technique," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 18, pp. 3678–3681, 2013.

[4] S. Oshiba, H. Miura, Y. Ohara, and H. Shimasaki, "3.3 Gbps 3TDM IR signal transmission for UWB over Combined Fiber and Wireless Link," in *OptoElectronics and Communications Conference and Photonics in Switching*, 2013, p. 3.

[5] F. I. El-Nahal, "A bidirectional radio-over-fiber system using differential phase-shift keying signals for downstream and remodulated OOK for upstream," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 20, pp. 4682–4684, 2013.

[6] A. M. Khan, J. Zhang, Y. ZHAO, Y. Khan, M. IDREES, L. WANG, and M. Ahmed, "A Cost-effective and Rayleigh Backscattering Noise-resilient Design of Single Fiber Centralized Light Source WDM-PON with Improved Receiver Sensitivity," *Journal of Computational Information Systems*, vol. 9, no. 2, pp. 749–756, 2013.

[7] A. M. Khan, J. Zhang, Y. ZHAO, Y. Khan, A. Latif, and J. Han, "A Cost-effective and Spectrally-efficient Design of Centralized Light Source WDM-PON using Aggregated 160 Gbit/s DQPSK Modulation for Downstream and Re-modulated IRZ for Upstream Transmission."

[8] X. Chen, Z. Liu, C. Jiang, and D. Huang, "A Filterless Optical Millimeter-Wave Generation based on Frequency 16-tupling," in *Asia Communications and Photonics Conference*, 2013.

[9] B. Liu, L. Chen, and J. Xiao, "A frequency-domain equalizer based on least mean square algorithm for direct-detection optical OFDM transmission system," in *2012 International Conference on Graphic and Image Processing*, 2013, pp. 876802–876802.

[10] Z. Zhu, S. Zhao, Q. Tan, W. Jiang, Y. Li, and X. Li, "A Linearized Optical Single-Sideband Modulation Analog Microwave Photonic Link Using Dual Parallel Interferometers," *Photonics Journal, IEEE*, vol. 5, no. 5, pp. 5501712–5501712, 2013.

[11] P. Sreedevi and N. Vijayakumar, "A low complex real photonic OFDM for Radio-over-Fiber system," in *Advanced Nanomaterials and Emerging Engineering*

Technologies (ICANMEET), 2013 International Conference on, 2013, pp. 543–546.

[12] S. Bai, X. Chen, X. Chen, and X. Yang, “A Method of Optical Ultra-Wide-Band Pulse Generation Based on XPM in a Dispersion Shifted Fiber,” in Proceedings of the 2012 International Conference on Information Technology and Software Engineering, 2013, pp. 275–283.

[13] T. H. Abd, S. A. Aljunid, and H. A. Fadhil, “A new code design for spectral amplitude coding optical CDMA systems using fiber bragg-grating,” *Journal of Optics*, vol. 42, no. 2, pp. 110–115, 2013.

[14] T. Liang, Q. He, H. Li, and L. He, “A novel adaptive synchronization algorithm for intermediate frequency architecture CO-OFDM system,” *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 18, pp. 3406–3411, 2013.

[15] L. Yan, B. ZHU, G. Liu, and F. HU, “A novel chromatic dispersion monitoring technique for 16/64-QAM system based on asynchronous amplitude histogram,” *Optoelectronics Letters*, vol. 9, no. 3, pp. 229–232, 2013.

[16] S. Bai, Z. Duan, and X. Chen, “A Novel NRZ/RZ Format Converter Based on Polarizer Modulator,” in International Conference on Advanced Computer Science and Electronics Information, 2013.

[17] R. Q. Shaddad, A. B. Mohammad, A. M. Al-Hetar, and S. A. Al-Gailani, “A novel optical single-sideband frequency translation technique for transmission of wireless MIMO signals over fiber-wireless system,” *Optics & Laser Technology*, vol. 47, pp. 347–354, 2013.

[18] J. Ma and H. Liang, “A novel optical transmission link with DHT-based constant envelope optical OFDM signal,” *Optics Communications*, vol. 300, pp. 33–37, 2013.

[19] P. Singh and G. Singh, “A Novel Path Tracing Scheme In All-Optical Networks Using Benes Network,” *International Journal of Signal Processing (SPIJ)*, vol. 7, no. 1, p. 66, 2013.

[20] N. Gupta, D. Dhawan, and P. Jain, “A Novel Physical Security in Wavelength Division Multiplexing Passive Optical Network (WDM-PON) Using Broadband Light Source,” *International Journal of Scientific & Engineering Research*, vol. 4, no. 3, pp. 207–210, 2013.

-
- [21] J. Ma, M. Zhou, Y. Zhan, H. Liang, and C. Yu, "A novel ROF link scheme with frequency quadrupling optical millimeter-wave carrying dual-stream of 10Gbit/s 16-QAM signals," *Optics & Laser Technology*, vol. 46, pp. 81–87, 2013.
-
- [22] Y. Lin, J. Tao, X. Yuan, Y. Zhang, and J. Zhang, "A Novel Structure of 4-PolSK System Using on Free-Space Optical Communications," in *Asia Communications and Photonics Conference*, 2013.
-
- [23] Z. Zhu, S. Zhao, Y. Li, X. Chu, X. Wang, and G. Zhao, "A Radio-over-Fiber system with frequency 12-tupling optical millimeter-wave generation to overcome chromatic dispersion," *Quantum Electronics, IEEE Journal of*, vol. 49, no. 11, pp. 919–922, 2013.
-
- [24] C. Wu, C. Gan, and X. Ma, "A reliable wavelength division multiplexing metro-access network realizing crosstalk-free transmission between uplink and downlink," *Optical and Quantum Electronics*, vol. 45, no. 6, pp. 549–561, 2013.
-
- [25] O. S. Sunish Kumar, C. V. Shyam David, P. P. Menon, and V. K. Jayasree, "A statistical modeling of QoS in an Optical Burst Switched network," in *Electronics, Computing and Communication Technologies (CONECCT), 2013 IEEE International Conference on*, 2013, pp. 1–6.
-
- [26] C.-H. Chang and A. Amrullah, "A Steady-Gain C-band EDFA for Multi-Wavelength Fiber Optical Transport Networks," *International Journal of Optoelectronic Engineering*, vol. 3, no. 1, pp. 6–11, 2013.
-
- [27] N. A. Al-Shareefi, S. I. S. Hassan, F. Malek, R. Ngah, S. A. Aljunid, S. A. Abbas, and N. Anida, "A study in OCS millimeter-wave generation using two parallel DD-MZMs," in *Communications (MICC), 2013 IEEE Malaysia International Conference on*, 2013, pp. 418–421.
-
- [28] C. T. Yen and W. B. Chen, "A Study of Bipolar Walsh-Hadamard Coding Method in Optical CDMA Networks," *Applied Mechanics and Materials*, vol. 284, pp. 2667–2671, 2013.
-
- [29] Y. Song, C. Gan, Y. Gong, and B. Chen, "A Survivable WDM-PON Architecture Using Optical Carrier Suppression Technique," *J. Opt. Commun.*, vol. 34, no. 4, pp. 357–360, 2013.

-
- [30] A. HUSSIAN, X. Xin, A. HUSSAIN, A. Latif, A. MUNIR, Y. Khan, and M. IDREES, "A Symmetric 10Gbps/ λ Colorless WDM-PON \star ," *Journal of Computational Information Systems*, vol. 9, no. 3, pp. 881–888, 2013.
-
- [31] R. Mehra, S. Jaiswal, and H. K. Dixit, "All optical half adder design based on semiconductor optical amplifier," in *Wireless and Optical Communications Networks (WOCN), 2013 Tenth International Conference on*, 2013, pp. 1–5.
-
- [32] S. Golmohammadi, V. Akbar Nejad, K. Abbasian, and A. Rostami, "All-optical multi-wavelength header recognition using superimposed Bragg gratings based correlators," *International Journal of Numerical Modelling: Electronic Networks, Devices and Fields*, vol. 26, no. 1, pp. 56–63, 2013.
-
- [33] L. Huang, W. Hong, and G. Jiang, "All-optical power equalization based on a two-section reflective semiconductor optical amplifier," *Optics express*, vol. 21, no. 4, pp. 4598–4611, 2013.
-
- [34] R. Asif, M. K. Islam, and M. Zafrullah, "All-optical signal processing of fiber impairments in dual-polarization 112 Gbit/s m-ary QAM coherent transmission," *Journal of the Optical Society of Korea*, vol. 17, no. 1, pp. 57–62, 2013.
-
- [35] F. Wang and E.-M. Xu, "All-optical UWB doublet pulses generation by using a delay interferometer," *Optics Communications*, vol. 297, pp. 38–42, 2013.
-
- [36] H. Zhou, J. He, Z. Cao, and L. Chen, "All-optical wavelength conversion scheme to reduce the crosstalk among the two multiplexed channels for polarization multiplexing system," *Optical Fiber Technology*, vol. 19, no. 6, pp. 549–555, 2013.
-
- [37] R. Mehra, S. Jaiwal, and H. K. Dixit, "All-optical XOR gate using SOA based Mach-Zehnder Interferometer," in *International Conference on Communication and Electronics System Design*, 2013, p. 87600A–87600A.
-
- [38] A. S. Verma, A. K. Jaiswal, and M. Kumar, "An Improved Methodology for Dispersion Compensation and Synchronization in Optical Fiber Communication Networks," paper was published in *International Journal of Emerging Technology and Advanced Engineering Volume*, vol. 3.
-
- [39] J. A. Susai and S. Robinson, "Analysing the Transmission Performance of the Optical Soliton System," *International Journal of Emerging Technology and*

Advanced Engineering, ISSN, pp. 2250–2459.

- [40] S. Zakaria, “Analysis and reduction of stimulated raman scattering in DWDM fibre optic communication system,” Universiti Tun Hussein Onn Malaysia, 2013.
- [41] A. Nasim, S. A. Aljunid, S. Junid, and R. Badlishah, “Analysis OCDMA system bit-error-rate using NAND detection at different data rate,” 2013.
- [42] P. P. Hema and A. Sangeetha, “Analysis of four channel CWDM Transceiver Modules based on Extinction Ratio and with the use of EDFA,” International Journal of Engineering & Technology (0975-4024), vol. 5, no. 3, 2013.
- [43] S. Selvendran and A. Sivanantharaja, “ANALYSIS OF FOUR WAVE MIXING UNDER DIFFERENT ALL OPTICAL MODULATION FORMATS,” Journal of Nonlinear Optical Physics & Materials, vol. 22, no. 3, 2013.
- [44] V. S. Yadav, P. K. Vatsal, and R. Kumar, “Analysis of Four-Wave-Mixing Effects in Up Stream Transmission Using SOA as Transmitter,” International Journal of Scientific Engineering and Technology, vol. 2, no. 7, pp. 745–748, 2013.
- [45] P. N. Kumar, A. Sangeetha, and G. Srikanth, “Analysis of Optical Time Division Multiplexing Using Packet Interleaving Scheme,” International Journal of Scientific and Research Publications, vol. 3, no. 4, p. 414, 2013.
- [46] S. Saha, P. Majumder, and M. Soundarya, “Analysis of SRS Effects at Different Number of Channels and Power Levels and on the Performance of DWDM System,” IJSRD – International Journal for Scientific Research & Development, vol. 1, no. 6, pp. 1245–1249, 2013.
- [47] S. Ilic, B. Jaksic, M. Petrovic, A. Markovic, and V. Elcic, “Analysis of Video Signal Transmission Through DWDM Network Based on a Quality Check Algorithm,” Engineering, Technology & Applied Science Research, vol. 3, no. 2, p. pp–416, 2013.
- [48] S. Anand, P. K. Raghav, and D. Kumar, “Analysis on dispersion compensation using Post FBG with EDFA,” International Journal of Scientific & Engineering Research, vol. 4, no. 9, pp. 1809–1813.
- [49] A.-K. Hamza Mohammed Ridha, S. A. Aljunid, S. Junid, A. Amphawan, H. Adnan, D. Fadhil, and M. S. Anuar, “APD gain effect on SAC-OCDMA system using

modified-and detection technique,” *Journal of Theoretical and Applied Information Technology*, vol. 53, no. 3, pp. 467–471, 2013.

[50] Y. Lixia and L. Ji, “Application of Simulation in Optical Fiber Communication Teaching Reform,” *China Educational Technology & Equipment*, vol. 24, p. 049, 2013.

[51] M. S. Ab-Rahman, “Application review of add drop multiplexer through OXADM device,” *Scientific Research and Essays*, vol. 8, no. 45, pp. 2194–2207, 2013.

[52] S. H. Murshid, M. F. Finch, and G. L. Lovell, “Architecture of an all optical de-multiplexer for spatially multiplexed channels,” in *SPIE Defense, Security, and Sensing*, 2013, pp. 872014–872014.

[53] H. Qiong, “Based on the Study of Phase-modulated With Balanced Detection in Radio-Over-Fiber Link,” *Guangxi Communication Technology*, vol. 1, p. 006, 2013.

[54] A. M. Alhassan, N. Badruddin, N. M. Saad, and S. A. Aljunid, “Beat noise mitigation through spatial multiplexing in spectral amplitude coding OCDMA networks,” in *Photonics (ICP), 2013 IEEE 4th International Conference on*, 2013, pp. 169–171.

[55] Z. Song, H. Qi, J. Guo, C. Wang, and G. Peng, “Characteristics research of self-amplified distributed feedback fiber laser,” in *Asia Pacific Optical Sensors Conference 2013*, 2013, p. 89240Y–89240Y.

[56] M. Singh and K. Kaur, “Coherent Detection WDM Optical OFDM System,” *International Journal of Advanced Research in Computer and Communication Engineering*, vol. 2, no. 12, pp. 4793–4797, 2013.

[57] E. A. El-Fiky, Z. El-Sahn, and H. Shalaby, “Coherent long reach OADM-PONs enabled by electronic dispersion compensation,” in *Asia Communications and Photonics Conference*, 2013.

[58] A. Morsy, Z. El-Sahn, H. Shalaby, and others, “Coherent OADM technique for next generation long reach PONs,” in *CLEO: Applications and Technology*, 2013.

[59] S. MAO, B. ZHU, Y. WANG, L. ZHANG, L. XIA, and F. HU, “Coherent reception technology based on DSP in 100 Gbit/s DP-QPSK system,” *Laser & Infrared*, vol. 12, p. 017, 2013.

-
- [60] F. I. El-Nahal and M. A. Salha, "Comparison between OQPSK and DPSK Bidirectional Radio over Fiber Transmission Systems," *Universal Journal of Electrical and Electronic Engineering*, vol. 1, no. 4, pp. 129–133, 2013.
-
- [61] M. Saqlain, U. Illahi, J. Iqbal, and A. Ehsan, "Comprehensive Study Analysis of Novel Mapping Multiplexing (NMM) Technique for Long Haul Optical Fiber Transmission Systems," *European Scientific Journal*, vol. 9, no. 30, pp. 371–379, 2013.
-
- [62] H. S. Mohammed, S. A. Aljunid, H. A. Fadhil, and T. H. Abd, "Computer and communication Engineering, University of Malaysia Perlis, Malaysia," in *Open Systems (ICOS), 2013 IEEE Conference on*, 2013, pp. 199–202.
-
- [63] X. J. Feng and Y. F. Li, "CO-OFDM Technology Long Distance Transmission System," *Advanced Materials Research*, vol. 663, pp. 609–615, 2013.
-
- [64] Y. Khan, M. Idress, N. A. Khan, J. Khan, and S. Latif, "Cost Effective Architecture for Symmetric Full-duplex Colorless WDM-PONs Using DPSK Downstream and OOK Re-modulated Upstream Data Signals," *International Journal of Emerging Sciences*, vol. 3, no. 1, pp. 28–35, 2013.
-
- [65] R. Q. Shaddad, A. B. Mohammad, A. M. Al-Hetar, and S. A. Al-Gailani, "Cost-effective 2.5 Gb/s bidirectional WDM PON using single optical source at the central office," in *Signal Processing and its Applications (CSPA), 2013 IEEE 9th International Colloquium on*, 2013, pp. 63–66.
-
- [66] Q. Zhuge, M. H. Morsy-Osman, and D. V. Plant, "Dept. of Electr. & Comput. Eng., McGill Univ., Montreal, QC, Canada," *Lightwave Technology, Journal of*, vol. 31, no. 8, pp. 1158–1169, 2013.
-
- [67] S. D. H. Z. W. Jiaqing and D. Tianyu, "Design and Realization of a Radio-over-Fiber System Based on Self-Homodyned 60 GHz Receiver," *Acta Optica Sinica*, vol. 5, p. 009, 2013.
-
- [68] D. D. C. D. L. Xiaomin and L. C. L. Jiang, "Design and Realization of an All-Optical Signal Optimization Structure," *Chinese Journal of Lasers*, vol. 6, p. 041, 2013.
-
- [69] K. Gupta, T. Mukhopadhyay, and A. Goyanka, "Design and simulation of a chirped Fiber Bragg Grating based demultiplexer for ultra dense Wavelength Division

Multiplexing based Passive Optical Networks,” in Advanced Networks and Telecommunications Systems (ANTS), 2013 IEEE International Conference on, 2013, pp. 1–5.

[70] V. Abedifar, S. A. Shahkooh, A. Emami, A. Poureslami, and S. A. Ayoughi, “Design and Simulation of a ROADM-based DWDM Network,” in Electrical Engineering (ICEE), 2013 21st Iranian Conference on, 2013, pp. 1–4.

[71] B. Patnaik and P. K. Sahu, “Design and study of high bit–rate free–space optical communication system employing QPSK modulation,” International Journal of Signal and Imaging Systems Engineering, vol. 6, no. 1, pp. 3–8, 2013.

[72] X. Q. Z. R. M. Yixin and H. Zhensong, “Design of RF Transmitter-receiver Front End for ETC. RSU,” Research & Progress of SSE, vol. 1, p. 014, 2013.

[73] H. A. Thana, “Development of novel ocdma codes for FTTH network,” Universiti Malaysia Perlis (UniMAP), 2013.

[74] A. S. Karar, “Digital Signal Processing for Directly Modulated Lasers in Optical Fiber Communications,” Queen’s University, Kingston, On, 2013.

[75] L. Xie, Y. Qin, and H.-Y. Chen, “Direct fluorescent measurement of blood potassium with polymeric optical sensors based on upconverting nanomaterials,” Analytical chemistry, vol. 85, no. 5, pp. 2617–2622, 2013.

[76] M. G. H. PATĒL, R. B. PATĒL, and S. J. PATĒL, “DISPERSION COMPENSATION IN 40 Gb/S WDM NETWORK USING DISPERSION COMPENSATING FIBER,” JOURNAL OF INFORMATION, KNOWLEDGE AND RESEARCH IN ELECTRONICS AND COMMUNICATION ENGINEERING, vol. 2, no. 2, pp. 662–665, 2013.

[77] P. PAVITHRA, P. PRAKASH, and M. G. MADHAN, “DISPERSION COMPENSATION USING DELAY LINE FILTER (DLF) WITH 2X2 COUPLER,” presented at the International Conference on Electronics and Communication Engineering, pp. 73–78.

[78] S. Z. M. Hasan, V. Kalavally, R. Parthiban, T. Win, and M. Premaratne, “Economic and system impact of hybrid Raman–EDFA amplification in a 40\$\\times\$ 40Gbps optical transmission network with DPSK modulation,” Optical Fiber Technology, vol.

19, no. 1, pp. 10–15, 2013.

[79] U. C. de Moura, J. R. Oliveira, J. C. Oliveira, and A. C. Cesar, “EDFA adaptive gain control effect analysis over an amplifier cascade in a DWDM optical system,” in *Microwave & Optoelectronics Conference (IMOC), 2013 SBMO/IEEE MTT-S International*, 2013, pp. 1–5.

[80] M. M. Ismail, M. A. Othman, Z. Zakaria, M. H. Misran, M. A. Said, H. A. Sulaiman, M. N. Zainudin, and M. A. Mutalib, “EDFA-WDM optical network design system,” *Procedia Engineering*, vol. 53, pp. 294–302, 2013.

[81] U. Tiwari, K. Thyagarajan, M. R. Shenoy, and S. C. Jain, “EDF-based edge-filter interrogation scheme for FBG sensors,” *Sensors Journal, IEEE*, vol. 13, no. 4, pp. 1315–1319, 2013.

[82] M. H. Ali, F. Abdullah, M. Z. Jamaludin, M. H. Al-Mansoori, T. F. Al-Mashhadani, and A. K. Abass, “Effect of EDF position on the performance of hybrid dispersion-compensating Raman/EDF amplifier,” in *Photonics (ICP), 2013 IEEE 4th International Conference on*, 2013, pp. 187–189.

[83] V. Nath, N. Jain, and S. Dogra, “EFFECT OF FIBER DISTANCE ON VARIOUS SAC-OCDMA DETECTION TECHNIQUES,” *IJRET: International Journal of Research in Engineering and Technology*, vol. 2, no. 3, pp. 290–293, 2013.

[84] F. Ullah, A. Khan, N. N. Qadri, and M. MasoodSarfraz, “Effect of Four Wave Mixing on AP-DCDM-WDM Fiber Optic System with Different Power per Channel,” *International Journal of Information Engineering and Electronic Business (IJIEEB)*, vol. 5, no. 3, p. 11, 2013.

[85] S. Sugumaran, N. Sharma, S. Chitranshi, N. Thakur, and P. Arulmozhivarman, “Effect of Four-wave Mixing on WDM System and its Suppression Using Optimum Algorithms,” *International Journal of Engineering & Technology (0975-4024)*, vol. 5, no. 2, 2013.

[86] C. Jiang, X. G. Chen, and Z. X. Liu, “Effect of Modulation Index of Mach-Zehnder Modulator on Single Sideband Radio over Fiber System,” *Advanced Materials Research*, vol. 756, pp. 2350–2353, 2013.

[87] M. Mamta and M. M. Bharti, “Effect of using Equalizer on Performance of single

channel CO-OFDM system,” *International Journal of Innovative Research in Computer and Communication Engineering*, vol. 1, no. 2, pp. 228–235, 2013.

[88] A. LATIF, A. HUSAIN, I. Aqureshi, A. MUNIR, and I. AFRIDI, “Effective dispersion management in Chirp-Managed Directly Modulated Laser based Reach colorless DWDM-PONs with remodulation,” *SINDH UNIVERSITY RESEARCH JOURNAL (SCIENCE SERIES)*, vol. 45, no. 2, pp. 239–246, 2013.

[89] M. Ju, S. Xiao, W. Sun, M. Bi, Z. Zhou, and T. Qi, “Effects of Optical Filters on 10-Gb/s RSOA-Based Upstream Transmission in WDM-PON System,” in *Asia Communications and Photonics Conference*, 2013, p. AF2F–60.

[90] N. Kaur, M. Sarangal, and others, “Effects of using RZ and NRZ modulation formats for TDM-PON system on Transmission Characteristics for Downstream Signals,” *International Journal of Computer Applications Technology and Research*, vol. 2, no. 6, pp. 645–649.

[91] F. Hossain and Z. Afroze, “Eliminating the effect of fog attenuation on FSO link by multiple TX/RX system with travelling wave semiconductor optical amplifier,” in *Advances in Electrical Engineering (ICAEE), 2013 International Conference on*, 2013, pp. 267–272.

[92] S. A. Aljunid, H. A. Fadhil, M. S. Anuar, and others, “Encoder-decoder design for SAC-OCDMA using Flexible Cross Correlation (FCC) code algorithms,” in *Photonics (ICP), 2013 IEEE 4th International Conference on*, 2013, pp. 166–168.

[93] G. Pandey and A. Goel, “Enhanced colorless and broadcast capable symmetrical 10-Gbps bidirectional transmission in WDM-PON using RSOA and EAM,” *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 23, pp. 6245–6249, 2013.

[94] S. A. Al-Gailani, A. B. Mohammad, and R. Q. Shaddad, “Enhancement of free space optical link in heavy rain attenuation using multiple beam concept,” *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 21, pp. 4798–4801, 2013.

[95] A. M. Alhassan, N. Badruddin, N. M. Saad, and S. A. Aljunid, “Enhancing the Performance of Coherent Sources SAC OCDMA Networks via Spatial Multiplexing,” *Journal of the Optical Society of Korea*, vol. 17, no. 6, pp. 471–480, 2013.

-
- [96] M. V. P. Satao, "E-Resource for Technical Institute & Engineering Colleges a Boon to libraries & information Centers in India," *IOSR Journal of Electronics and Communication Engineering*, vol. 6, no. 6, pp. 1–5, 2013.
-
- [97] G. K. Rodrigues, V. G. A. Carneiro, A. R. da Cruz, and M. T. M. R. Giraldo, "Evaluation of the strong turbulence impact over free-space optical links," *Optics Communications*, vol. 305, pp. 42–47, 2013.
-
- [98] N. Mohamed, S. M. Idrus, A. B. Mohammad, S. Yaakob, N. M. Yusoff, S. M. Sam, and N. Ahmad, "Experimental demonstration of a downlink remote optical local oscillator for radio over fiber system," in *Photonics (ICP), 2013 IEEE 4th International Conference on*, 2013, pp. 93–95.
-
- [99] K. Zhang, W. Wang, W. Zhao, X. Xie, and F. QIAN, "Experimental research of optical preamplifier receiver for RZ-DPSK based on delay interferometer," in *ISPD1 2013-Fifth International Symposium on Photoelectronic Detection and Imaging*, 2013, p. 89060Q–89060Q.
-
- [100] Q. Shao, C. Gan, and R. Wang, "Extensible optical access network enabling multistage protections and data aggregation based on tangent rings," *International Journal of Communication Systems*, 2013.
-
- [101] W. Zhong, X. Li, A. Alphones, and C. Yu, "Fiber Nonlinearity Tolerance of APSK Modulated DFT-S OFDM Systems," *Photonics Technology Letters, IEEE*, vol. 25, no. 23, pp. 2304–2307, 2013.
-
- [102] G. Zhao, S. Zhao, Z. Yao, W. Meng, X. Wang, Z. Zhu, and F. Liu, "Forward spectral filtering parallel quantum key distribution system," *Optics Communications*, vol. 298, pp. 254–259, 2013.
-
- [103] Q. Shu, L. Chen, Z. Cao, and L. Chen, "Frequency domain pilot interval allocation optimization for compatible single-sideband modulation orthogonal frequency division multiplexing transmission with direct detection," *Optical Engineering*, vol. 52, no. 4, pp. 045006–045006, 2013.
-
- [104] C. Shuqing, Z. Zhiwei, and L. Ying, "Frequency octupling for 0.1 THz full-duplex Terahertz over fiber," *China Sciencepaper*, vol. 4, p. 006, 2013.
-
- [105] L. Nadeem and R. Asif, "FSK signal generation with wavelength reuse capability in

8 Gbit/s radio over fiber systems,” *Frontiers of Optoelectronics*, vol. 6, no. 3, pp. 303–311, 2013.

[106] M. M. J. Martini, C. E. S. Castellani, M. J. Pontes, M. R. Ribeiro, and H. J. Kalinowski, “Gain flattening analysis for Raman+ EDFA hybrid amplifiers using recycled pump power for WDM systems,” in *8th Ibero American Optics Meeting/11th Latin American Meeting on Optics, Lasers, and Applications*, 2013, pp. 8785C2–8785C2.

[107] Q. MA, P. Li, J. Zheng, D. SHEN, M. ZHAO, W. ZHOU, and Z. ZHAO, “Generation of an ultra-wideband triplet signal based on semiconductor optical amplifier,” *Optoelectronics Letters*, vol. 9, pp. 161–164, 2013.

[108] K. Alatawi, “HIGH DATA RATE COHERENT OPTICAL OFDM SYSTEM FOR LONG-HAUL TRANSMISSION,” *University of Denver*, 2013.

[109] R. Udayakumar, V. Khanaa, and K. P. Kaliyamurthie, “High Data Rate for Coherent Optical Wired Communication using DSP,” *Indian Journal of Science and Technology*, vol. 6, no. 6, pp. 4772–4776, 2013.

[110] M. S. B. Ab-Rahman and I. M. Mohamed, “High efficient Fibre Plant Utilization by Multiple PON infrastructure based on Frequency Re-use Approach for Scalable FTTH Networks,” *International Journal of Scientific & Engineering Research*, vol. 4, no. 5, pp. 91–95, 2013.

[111] V. Sharma and G. Kaur, “High speed, long reach OFDM-FSO transmission link incorporating OSSB and OTSB schemes,” *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 23, pp. 6111–6114, 2013.

[112] M. Syuhaimi and I. Mohamed, “Highly Utilized Fiber Plant with Extended Reach and High Splitting Ratio Based on AWG and EDFA Characteristics,” *ETRI Journal*, vol. 35, no. 5, pp. 786–796, 2013.

[113] J. R. Oliveira, U. C. Moura, J. C. Oliveira, and M. A. Romero, “Hybrid distributed Raman/EDFA amplifier with hybrid automatic gain control for reconfigurable WDM optical networks,” *Journal of Microwaves, Optoelectronics and Electromagnetic Applications*, vol. 12, no. 2, pp. 602–616, 2013.

[114] M. E. Abdalla, S. M. Idrus, and A. B. Mohammad, “Hybrid TDM-WDM 10G-PON for

high scalability next generation PON,” in Industrial Electronics and Applications (ICIEA), 2013 8th IEEE Conference on, 2013, pp. 1448–1450.

-
- [115] A. O. Aldhaibani, S. A. Aljunid, H. A. Fadhil, and M. S. Anuar, “Hybrid wavelength division multiplexing/time domain multiplexed (WDM/TDM) using radio over fiber technique with 16QAM at 2.5 Gbps,” *International Journal*, vol. 8, no. 18, pp. 897–900, 2013.
-
- [116] A. K. PANDEY, “IJSER,” *International Journal of Scientific & Engineering Research*, vol. 4, no. 5, pp. 1765–1770, 2013.
-
- [117] T. H. Abd, S. A. Aljunid, H. A. Fadhil, M. N. Junita, and M. Saad, “Impact of Multi-Diagonal Code on High-Speed Spectral Amplitude Coding Optical Code Division Multiple-Access Networks,” *Arabian Journal for Science and Engineering*, vol. 38, no. 9, pp. 2389–2397, 2013.
-
- [118] M. I. Afridi, J. Zhang, Y. Khan, J. Han, A. Hussein, and S. Ahmad, “Impact of Rayleigh backscattering on single/dual feeder fiber WDM-PON architectures based on array waveguide gratings,” *Frontiers of Optoelectronics*, vol. 6, no. 1, pp. 102–107, 2013.
-
- [119] F. R. Zaki and M. Faisal, “Impact of third-order dispersion in ultra-high speed long-haul optical fiber communication system,” in *Informatics, Electronics & Vision (ICIEV)*, 2013 International Conference on, 2013, pp. 1–5.
-
- [120] S. Kenshil, G. Rashwan, and M. Matin, “Implementation of a photonic antenna in optical OFDM link,” in *SPIE Optical Engineering+ Applications*, 2013, p. 88550B–88550B.
-
- [121] V. Sharma and N. Kumar, “Improved analysis of 2.5 Gbps-inter-satellite link (ISL) in inter-satellite optical-wireless communication (IsOWC) system,” *Optics Communications*, vol. 286, pp. 99–102, 2013.
-
- [122] N. Ahmed, S. A. Aljunid, R. B. Ahmad, and H. A. Fadhil, “Improvement of the bit error rate of a non-coherent OCDMA system for FTTH network applications,” *Optical and Quantum Electronics*, vol. 45, no. 12, pp. 1307–1318, 2013.
-
- [123] J. C. Januário, H. S. Carvalho, J. R. de Oliveira, J. C. de Oliveira, and H. E. Hernandez-Figueroa, “In-band OSNR monitor based on Mach Zehnder DLI

interferometer for polarization multiplexed signals,” in Microwave & Optoelectronics Conference (IMOC), 2013 SBMO/IEEE MTT-S International, 2013, pp. 1–5.

[124] Z. Zhu, S. Zhao, Z. Yao, Y. Li, W. Jiang, X. Wang, and G. Zhao, “Influence of optical amplifier on inter-satellite microwave photonics links employing a low-biased Mach-Zehnder modulator,” *IET Optoelectronics*, vol. 7, no. 4, pp. 93–98, 2013.

[125] H. I. Nur, M. S. Anuar, S. A. Aljunid, and M. Zuliyana, “Innoval Zero Cross Correlation for spectral power density efficiency,” in *Photonics (ICP), 2013 IEEE 4th International Conference on*, 2013, pp. 237–239.

[126] K. Alatawi, F. Almasoudi, and M. A. Matin, “Integration of coherent optical OFDM with WDM,” in *SPIE Optical Engineering+ Applications*, 2013, p. 88550P–88550P.

[127] F. Almasoudi, “INTEGRATION OF OOFDM WITH RoF FOR HIGH DATA RATES LONG-HAUL OPTICAL COMMUNICATIONS,” University of Denver, 2013.

[128] A. M. Alhassan, N. Badruddin, N. M. Saad, and S. A. Aljunid, “Intensity Noise Mitigation in SAC OCDMA Systems Using a Divided Spectrum Balanced Detection Scheme,” in *Photonics Conference (IPC), 2013 IEEE*, 2013, pp. 523–524.

[129] V. Tiwari, D. Sikdar, M. Navya Jyothi, G. Dixit, and V. K. Chaubey, “Investigation of optimum pulse shape for 112Gbps DP-DQPSK in DWDM transmission,” *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 22, pp. 5567–5572, 2013.

[130] X. Li, A. Alphones, W.-D. Zhong, and C. Yu, “Investigation of PMD in direct-detection optical OFDM with zero padding,” *Optics express*, vol. 21, no. 18, pp. 20851–20856, 2013.

[131] S. G. Abdulqader, S. A. Aljunid, H. M. Al-Khafaji, and H. A. Fadhil, “Investigation of transmission performance for SAC-OCDMA system under long haul transmission distance based on single photodiode detection technique,” in *Communications (MICC), 2013 IEEE Malaysia International Conference on*, 2013, pp. 340–344.

[132] S. Mikroulis, I. Aldaya, I. Petropoulos, E. Giacomidis, K. Voudouris, and I. Tomkos, “Investigation on a Low-Cost Single Wavelength Converged Wired-60 GHz Wireless OFDM Based System Employing a Photonic Patch Antenna,” in *Proc. of SPIE Vol*, 2013, vol. 8645, p. 86450J–1.

-
- [133] M. V. Sudhakar, Y. M. Reddy, and B. P. Rao, "Investigation on Spatial Filtering to Increase Information Carrying Capacity in Single Mode Optical Fibre Communications," in *Electronics, Computing and Communication Technologies (CONECCT)*, 2013 IEEE International Conference on, 2013, pp. 1–5.
-
- [134] S. Vigneshwaran, I. Muthumani, and A. S. Raja, "Investigations on Free space optics communication system," in *Information Communication and Embedded Systems (ICICES)*, 2013 International Conference on, 2013, pp. 819–824.
-
- [135] G. Owan, "Laboratory and simulation measurements to investigate attenuation in optical fibres," Makerere University, 2013.
-
- [136] M. Singh, "Low dispersion FBG cascades for 20-Gbps DWDM systems," in *International Conference on Communication and Electronics System Design*, 2013, p. 87601U–87601U.
-
- [137] B. Wu, F. Wen, K. Qiu, R. Han, and X. Lu, "Magnetically-induced circular-polarization-dependent loss of magneto-optic fiber Bragg gratings with linear birefringence," *Optical Fiber Technology*, vol. 19, no. 3, pp. 219–222, 2013.
-
- [138] V. B. Ribeiro, F. A. Silva, J. C. Oliveira, L. V. Franz, E. O. Schneider, C. Moretti, and S. M. Ranzini, "Mathematical and system level HW description DSP algorithms modeling investigation in an experimental 100G optical coherent system," in *SPIE OPTO*, 2013.
-
- [139] A. H. Elghandour and C. D. Ren, "Modeling and comparative study of various detection techniques for FMCW LIDAR using optisystem," in *ISPD1 2013-Fifth International Symposium on Photoelectronic Detection and Imaging*, 2013.
-
- [140] V. Sharma and N. Kumar, "Modeling of 2.5 Gbps-intersatellite link (ISL) in inter-satellite optical wireless communication (IsOWC) system," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 23, pp. 6182–6185, 2013.
-
- [141] M. Pavlu and J. Poliak, "Modeling of the multichannel optical wireless link," in *Microwave Techniques (COMITE)*, 2013I Conference on, 2013, pp. 79–82.
-
- [142] S. Saini and S. Singh, "Multi Parameter Gain Optimization of Raman Fiber Amplifier for Dense Wavelength Division Multiplexed Systems," *International Journal of Innovative Research in Science, Engineering and Technology*, vol. 2, no. 4, pp.

988–993, 2013.

[143] R. Talib, M. F. L. Abdullah, and M. K. Abdullah, "Multi Slot Amplitude Coding Performance improvement with level spacing optimization," in Photonics (ICP), 2013 IEEE 4th International Conference on, 2013, pp. 206–208.

[144] H. You, T. Ning, W. Jian, L. Pei, J. Li, X. Wen, and H. Chen, "Multi-wavelength Optical Single-Sideband Modulated WDM Radio-over-Fiber Systems by Employing A Twin-Core Fiber," *Lightwave Technology, Journal of*, vol. PP, no. 99, p. 1, 2013.

[145] J. C. Januário, H. S. Carvalho, J. R. Oliveira, and J. C. de Oliveira, "Non Coherent Experimental In-Band OSNR Monitoring using Cost-Effective DSP Technique Insensitive to Polarization Effects.," *Journal of Microwaves, Optoelectronics & Electromagnetic Applications*, vol. 12, no. SI-2, pp. 140–155, 2013.

[146] H. Chen, J. Yu, J. Xiao, Z. Cao, F. Li, and L. Chen, "Nonlinear effect mitigation based on PAPR reduction using electronic pre-distortion technique in direct-detection optical OFDM system," *Optical Fiber Technology*, vol. 19, no. 5, pp. 387–391, 2013.

[147] H. Xiaoqi, "Nonlinear Equalization Based on Decision Feedback Equalizer for Optical Communication System," Miami University, 2013.

[148] B. Chen and C. Gan, "Novel architecture of WDM-PON based on single-fiber ring topology featuring protection and dynamic wavelength assignment," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 3, pp. 234–237, 2013.

[149] H. Chen, C. Gan, M. Yin, C. Ni, C. Wu, and Y. Gong, "Novel structure of optical access network based on cycle shift method," in TENCON 2013-2013 IEEE Region 10 Conference (31194), 2013, pp. 1–4.

[150] X. Ma, K. Li, and Y. Bai, "Novel Training Symbol Structure for Transmitter IQ Mismatch Compensation for Coherent Optical OFDM," *Photonics Technology Letters, IEEE*, vol. 25, no. 21, pp. 2047–2049, 2013.

[151] R. Mercy Kingsta and A. Sivanantharaja, "Numerical design and analysis of multimode fiber with high bend tolerance and bandwidth using refractive index optimization," *Optical Fiber Technology*, vol. 19, no. 6, pp. 587–592, 2013.

-
- [152] R. Karthikeyan and D. S. Prakasam, "OFDM Signal Improvement Using Radio over Fiber for Wireless System," IRACST–International Journal of Computer Networks Wireless Communications (IJCNWC), ISSN, vol. 3, no. 2, pp. 2250–3501.
-
- [153] B. Kaur, A. K. Sharma, and V. Kapoor, "On WDM RoF–EPON link using OSSB transmission with and without square root module," Optik-International Journal for Light and Electron Optics, vol. 124, no. 12, pp. 1334–1337, 2013.
-
- [154] H. A. Bakarman, T. Eltaif, P. S. Menon, M. Muqaibel, and S. Shaari, "Optical Access Network based on OCDMA Systems: Transmission and Security Performance," Journal of Communications, vol. 7, pp. 35–41, 2013.
-
- [155] N. A. Mohammed, S. I. S. Hassan, F. Malek, R. Ngah, and S. A. Abbas, "Optical generation of 60-GHz signal for millimeter wave wireless communication," in RF and Microwave Conference (RFM), 2013 IEEE International, 2013, pp. 437–440.
-
- [156] S. Zhao, Z. Zhu, Y. Li, X. Chu, and X. Li, "Optical millimeter-wave generation with modified frequency quadrupling scheme," Optical Engineering, vol. 52, no. 11, 2013.
-
- [157] X. Chen, P. R. Horche, and A. M. Minguez, "Optical signal impairment study of cascaded optical filters in 40 Gbps DQPSK and 100 Gbps PM-DQPSK systems," in SPIE Optical Engineering+ Applications, 2013.
-
- [158] H. You, T. Ning, W. Jian, J. Li, and others, "Optical Signal Phase Reconstruction for WDM System by Employing Twin-Core Fiber based Differentiator," in Asia Communications and Photonics Conference, 2013.
-
- [159] W. S. Loi and C. T. Ong, "Optical solitons: Mathematical model and simulations," in Business Engineering and Industrial Applications Colloquium (BEIAC), 2013 IEEE, 2013, pp. 901–905.
-
- [160] H. A. Mohammed, "Optical Time Division Multiplexing (OTDM) and Hybrid WDM/OTDM PON Performance Investigation," IJECCE, vol. 4, no. 3, pp. 747–754, 2013.
-
- [161] H. A. Fadhil, A. Amphawan, H. A. Shamsuddin, T. Hussein Abd, H. M. Al-Khafaji, S. A. Aljunid, and N. Ahmed, "Optimization of free space optics parameters: An optimum solution for bad weather conditions," Optik-International Journal for Light and Electron Optics, vol. 124, no. 19, pp. 3969–3973, 2013.

-
- [162] Z. Zihang, Z. Shanghong, Z. Hui, and others, "Optimization of Optically Preamplified Inter-Satellite Microwave Photonics Links with Two Radio-Frequency Signals Input," *Acta Optica Sinica*, vol. 1, p. 008, 2013.
-
- [163] M. Biszewski, "Osteopathic Postdoctoral Training Institutions and Academic Sponsorship," *JAOA: Journal of the American Osteopathic Association*, vol. 113, no. 4, pp. 311–319, 2013.
-
- [164] G. Rashwan, S. Kenshil, and M. Matin, "PAPR mitigation algorithms for OFDM WiMAX link," in *SPIE Optical Engineering+ Applications*, 2013.
-
- [165] L. Y. Liu, Y. Ma, and J. R. Yang, "Parameters Optimization of Er³⁺ Doped Fiber Amplifier by Numerical Simulation," *Advanced Materials Research*, vol. 694, pp. 1450–1453, 2013.
-
- [166] R. Mehra, S. Jaiswal, and H. K. Dixit, "Parity checking and generating circuit with semiconductor optical amplifier in all-optical domain," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 21, pp. 4744–4745, 2013.
-
- [167] Y. Ma, L. Y. Liu, X. F. Wang, and J. R. Yang, "Performance Analysis of 10Gbps Optical Communication System by Simulation," *Advanced Materials Research*, vol. 765, pp. 2691–2695, 2013.
-
- [168] U. J. Sindhi, R. B. Patel, K. A. Mehta, and V. Mishra, "PERFORMANCE ANALYSIS OF 32-CHANNEL WDM SYSTEM USING ERBIUM DOPED FIBER AMPLIFIER," *International Journal of Electrical and Electronic Engineering & Telecommunications*, vol. 2, no. 2, pp. 13–18, 2013.
-
- [169] J. Li, T. Ning, L. Pei, S. Gao, H. You, H. Chen, and N. Jia, "Performance analysis of an optical single sideband modulation approach with tunable optical carrier-to-sideband ratio," *Optics & Laser Technology*, vol. 48, pp. 210–215, 2013.
-
- [170] K. Durgadevi and I. Muthumani, "Performance analysis of degree of polarization using PMD compensation in DP-DQPSK," in *Information Communication and Embedded Systems (ICICES), 2013 International Conference on*, 2013, pp. 785–791.
-
- [171] S. Kumar, A. K. Jaiswal, E. M. Kumar, and E. R. Saxena, "Performance Analysis of Dispersion Compensation in Long Haul Optical Fiber with DCF," *Journal of*

Electronics and Communication Engineering, vol. 6, no. 6, pp. 19–23, 2013.

[172] C. T. Yen, H. C. Cheng, Y. T. Chang, and W. B. Chen, "Performance analysis of dual unipolar/bipolar spectral code in optical CDMA systems," *Journal of Applied Reserch and Technology*, vol. 11, no. 2, pp. 235–241, 2013.

[173] Y. ZHU, C. MENG, and Y. ZHANG, "Performance analysis of LDPC under the FSO-OFDM," *Optical Communication Technology*, vol. 3, p. 018, 2013.

[174] Y. P. Li, Y. A. Zhang, X. G. Yuan, J. N. Zhang, M. L. Zhang, and Y. Q. Huang, "Performance Enhancement of Atmospheric Coherent Optical Communication Systems Using DPSK," *Applied Mechanics and Materials*, vol. 263, pp. 1081–1084, 2013.

[175] N. Ahmed, S. A. Aljunid, A. Fadil, R. B. Ahmad, and M. A. Rashid, "Performance enhancement of OCDMA system using NAND detection with modified double weight (MDW) code for optical access network," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 13, pp. 1402–1407, 2013.

[176] D. Jokhakar Jignesh, U. Sripathi, and M. Kulkarni, "Performance enhancement of optical QPSK systems with coherent reception for high speed links," in *Advances in Computing, Communications and Informatics (ICACCI)*, 2013 International Conference on, 2013, pp. 632–637.

[177] B. Kaur, V. Kapoor, and A. K. Sharma, "Performance enhancement with square root module for WDM RoF-EPON link," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 10, pp. 967–971, 2013.

[178] F. T. Albeladi, M. F. Ahmed, and A. H. Bakry, "Performance evaluation of 40 Gb/s directly-modulated optical fiber communication systems," in *Electronics, Communications and Photonics Conference (SIEPCPC)*, 2013 Saudi International, 2013, pp. 1–6.

[179] K. Ismail, P. S. Menon, A. A. Ehsan, H. A. Bakarman, N. Arsad, and A. Bakar, "Performance evaluation of 8 channel CWDM system with cascaded SOAs," in *Photonics (ICP)*, 2013 IEEE 4th International Conference on, 2013, pp. 256–258.

[180] I. Aggarwal, P. Chawla, and R. Gupta, "Performance Evaluation of Intersatellite Free Space Optical Communication System with Varied Parameters and

Transceiver Diversity,” *Advance in Electronic and Electric Engineering*, vol. 3, no. 2, pp. 847–852, 2013.

[181] Z. X. Liu, X. G. Chen, and C. Jiang, “Performance Evaluation of Optical Carrier Suppression Radio over Fiber System Through Modulation Index Enhancement,” *Advanced Materials Research*, vol. 756, pp. 1190–1193, 2013.

[182] R. Bhatia, A. K. Sharma, and J. Saxena, “Performance improvement for $N \times 80$ -Gb/s WDM transmission link with optimized alternate polarization,” *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 23, pp. 6013–6016, 2013.

[183] T. Miao, W. Xin-lao, Y. Qian-ru, Y. Wen-long, X. Yan-ling, and others, “Performance of all fiber optical current transducer in optical transmission based on optisystem,” in *Optoelectronics and Microelectronics (ICOM), 2013 International Conference on*, 2013, pp. 1–4.

[184] R. K. Z. Sahbudin, M. Kamarulzaman, S. Hitam, M. Mokhtar, and S. B. A. Anas, “Performance of SAC OCDMA-FSO communication systems,” *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 17, pp. 2868–2870, 2013.

[185] L. Liying, M. Yu, and Y. Jiuru, “Performance Optimization based Spectrum Analysis on OFRA and EDFA Devices,” *TELKOMNIKA*, vol. 11, no. 7, pp. 3741–3749, 2013.

[186] L. Y. Liu, Y. Huang, C. Y. Liu, X. M. Zhang, and J. R. Yang, “Performance Optimization Based Spectrum Analysis on Optical Fiber Raman Amplifier with Backward Pumping,” *Applied Mechanics and Materials*, vol. 263, pp. 1004–1007, 2013.

[187] K. Alatawi, F. Almasoudi, and M. A. Matin, “Performance Study of 1 Tbits/s WDM Coherent Optical OFDM System,” *Optics and Photonics Journal*, vol. 3, p. 330, 2013.

[188] C. B. M. Rashidi, S. A. Aljunid, F. Ghani, H. A. Fadhil, M. S. Anuar, and others, “Phase Induced Intensity Noise Evasion in SAC-OCDMA Systems Using Flexible Cross Correlation (FCC) Code Algorithm,” *Australian Journal of Basic and Applied Sciences*, vol. 7, no. 8, pp. 437–446, 2013.

[189] H. M. Al-Khafaji, S. A. Aljunid, A. Amphawan, H. A. Fadhil, and A. M. Safar, “Phase-

induced intensity noise reduction with improved group velocity dispersion tolerance in SAC-OCDMA systems,” *International Journal of Engineering and Technology (IJET)*, vol. 5, no. 1, pp. 95–100, 2013.

[190] Y. Sha-Sha, “Photonic Approach to the Measurement of Frequency Based on Optisystem,” *Electronic Science and Technology*, vol. 1, p. 003, 2013.

[191] J. Li, T. Ning, L. Pei, W. Jian, H. You, H. Chen, and C. Zhang, “Photonic-assisted periodic triangular-shaped pulses generation with tunable repetition rate,” *Photonics Technology Letters, IEEE*, vol. 25, no. 10, pp. 952–954, 2013.

[192] P. Buranasiri and S. Sumriddetchkajorn, “Photonics Solutions,” in *Proc. of SPIE Vol*, 2013.

[193] Z. J. Mao, J. T. Wei, H. W. Li, Q. Wu, and F. C. Qian, “Physical Layer Security Solutions for High Speed Data Networks,” *Advanced Materials Research*, vol. 712, pp. 2514–2520, 2013.

[194] S. Singh and G. Soni, “Pointing error evaluation in FSO link,” presented at the Fifth International Conference on Advances in Recent Technologies in Communication and Computing, 2013.

[195] L. Xian Wang, N. Hua Zhu, W. Li, H. Wang, J. Yu Zheng, and J. Guo Liu, “Polarization division multiplexed photonic radio-frequency channelizer using an optical comb,” *Optics Communications*, vol. 286, pp. 282–287, 2013.

[196] M. M. Feres, M. de Lacerda Rocha, and M. A. Romero, “Power consumption and blocking probability tradeoffs in mixed-line-rate and mixed-formats (MLR-MF) optical networks,” in *Microwave & Optoelectronics Conference (IMOC), 2013 SBMO/IEEE MTT-S International*, 2013, pp. 1–5.

[197] H. Yu, H. Chen, M. Chen, and S. Xie, “Power distribution analysis for multiple modulation formats in an all-optical sampling wavelength division multiplexing system,” *Chinese Optics Letters*, vol. 11, no. 10, 2013.

[198] K. Mackie, “Precision cutting to optimise structural lumber yield,” *Australian Forest Grower*, vol. 35, no. 4, p. 42, 2013.

[199] R. Verma and P. Garg, “Qualitative Analysis of Self Phase Modulation (SPM),” *IJECCE*, vol. 4, no. 2, pp. 330–333, 2013.

-
- [200] K. Solis-Trapala, M. Gao, J. Kurumida, T. Inoue, and S. Namiki, "Reach extension of 43-Gb/s RZ-DPSK signal by optical parametric regenerator," in OptoElectronics and Communications Conference and Photonics in Switching, 2013.
-
- [201] N. F. Naim, M. S. Ab-Rahman, N. H. Kamaruddin, and A. A. A. Bakar, "Real-time monitoring and fault locating using amplified spontaneous emission noise reflection for tree-structured Ethernet passive optical networks," *Optical Engineering*, vol. 52, no. 9, 2013.
-
- [202] N. F. Naim, M. S. Ab-Rahman, H. A. Bakarman, and A. Bakar, "Real-Time Monitoring in Passive Optical Networks Using a Superluminescent LED With Uniform and Phase-Shifted Fiber Bragg Gratings," *Journal of Optical Communications and Networking*, vol. 5, no. 12, pp. 1425–1430, 2013.
-
- [203] H. M. Al-Khafaji, S. A. Aljunid, A. Amphawan, H. A. Fadhil, and A. M. Safar, "Reducing BER of spectral-amplitude coding optical code-division multiple-access systems by single photodiode detection technique," *Journal of the European Optical Society-Rapid publications*, vol. 8, 2013.
-
- [204] F. Xue, P. Li, J. Zheng, L. Wang, and W. Liang, "Research of all-optical ultra-wideband triplet signal source based on a single semiconductor optical amplifier," *Optoelectronics Letters*, vol. 9, pp. 259–262, 2013.
-
- [205] N. Zhu, Y. Chen, and X. Jiang, "Research of nonlinear phase shift-aware of physical layer impairment in intelligent optical network," *Optik-International Journal for Light and Electron Optics*, vol. 124, no. 19, pp. 3962–3968, 2013.
-
- [206] J. LI, D. DENG, F. QIAN, and D. CAO, "Research of the all-optical 3R regeneration plan," *Optical Communication Technology*, vol. 3, p. 014, 2013.
-
- [207] D. SHEN, P. Li, J. Zheng, M. ZHAO, Q. MA, W. ZHOU, and Z. ZHAO, "Research of ultra-wideband pulse amplitude modulation based on LiNbO₃ Mach-Zehnder modulator," *Journal of Optoelectronics. Laser*, vol. 1, p. 016, 2013.
-
- [208] Y. Liu, Z. Liu, D. Liu, H. Fang, M. Zheng, and others, "Research on demodulation technology of atmospheric laser communication system base on CPoISK," in ISPDI 2013-Fifth International Symposium on Photoelectronic Detection and Imaging, 2013.

-
- [209] W. Huan, W. Xiangnong, Z. Jing, and D. Jie, "Research on Optisystem for intensity modulated microwave frequency measurement," *Study on Optical Communications*, vol. 2, p. 017, 2013.
-
- [210] M.-F. Zhao, X. Han, B.-B. Luo, B.-S. Wang, and X.-L. Quan, "Response characteristics of refractive-index gradient based on long-period fiber gratings," *Guangxue Jingmi Gongcheng(Optics and Precision Engineering)*, vol. 21, no. 2, pp. 316–322, 2013.
-
- [211] R. Asif, H. Shahid, F. Arshad, and R. Saleem, "Scalable nonlinear equalization in high-bit-rate optical transmission systems," *Photonics Research*, vol. 1, no. 3, pp. 130–135, 2013.
-
- [212] M. Z. Norazimah, S. A. Aljunid, H. M. Al-Khafaji, H. A. Fadhil, and M. S. Anuar, "School of Computer and Communication Engineering, University Malaysia Perlis (UniMAP), Malaysia," in *Industrial Electronics and Applications (ISIEA), 2013 IEEE Symposium on*, 2013, pp. 66–70.
-
- [213] A. M. Khan, J. Zhang, Y. ZHAO, G. GAO, S. CHEN, and D. WANG, "Simple and spectrally-efficient design of high capacity hybrid WDM/TDM-PON with improved receiver sensitivity," *The Journal of China Universities of Posts and Telecommunications*, vol. 20, no. 3, pp. 114–120, 2013.
-
- [214] H. Wang, D. M. Kong, Y. Li, J. Wu, and J. T. Lin, "Simple asymmetric optical DQPSK modulation and demodulation scheme," *Optics Communications*, vol. 288, pp. 17–22, 2013.
-
- [215] M. Arora and G. Pandove, "Simulated Circuit for Generation of 40 GHz Soliton Train," *Journal of Emerging Trends in Electrical and Electronics*, vol. 5, no. 2, pp. 73–76, 2013.
-
- [216] J. Li, T. Ning, L. Pei, W. Jian, H. You, H. Chen, C. Li, C. Zhang, and S. Ma, "Simulation analysis of an improved optical triangular-shaped pulse train generator based on quadrupling RF modulation incorporating fiber dispersion-induced power fading," *Optical Fiber Technology*, vol. 19, no. 6, pp. 574–578, 2013.
-
- [217] W. Balani, "Simulation and Bandwidth," *International Journal of Emerging Trends in Electrical and Electronics*, vol. 2, no. 4, pp. 236–240, 2013.

-
- [218] Y. Liu, "Simulation and study for coherent OFDM system," in *Broadband Network & Multimedia Technology (IC-BNMT)*, 2013 5th IEEE International Conference on, 2013, pp. 257–261.
-
- [219] W. H. W. X. Z. Jing and Y. Y. D. Jie, "Simulation of Phase Modulated Instantaneous Frequency Measurement on Optisystem," *Laser & Optoelectronics Progress*, vol. 1, p. 19, 2013.
-
- [220] M. Yang and J. Wei, "Simulation of WDM for Free Space Optical Communications System," *Dianzi Keji- Electronic Science and Technology*, vol. 26, no. 1, pp. 7–9, 2013.
-
- [221] C. ZHANG, H. CHEN, and C. YAN, "Simulations of WDM-PON System Based on RSOA Remodulation Technology," *Semiconductor Optoelectronics*, vol. 3, p. 032, 2013.
-
- [222] N. Kumar and A. K. Rana, "Simulative analysis of various parameters on free space optical communication system," *J. Opt. Commun.*, vol. 34, no. 3, pp. 237–241, 2013.
-
- [223] M. I. Afridi, Y. Khan, N. A. Khan, J. Khan, and S. Latif, "Simultaneous Demultiplexing and Demodulation of 10 Gbit/s RZ-DPSK Signal using Arrayed Waveguide Gratings," *J. Opt. Commun.*, vol. 34, no. 3, pp. 167–172, 2013.
-
- [224] S. A. Al-Gailani, A. B. Mohammad, R. Q. Shaddad, and M. Y. Jamaludin, "Single and multiple transceiver simulation modules for free-space optical channel in tropical malaysian weather," in *Business Engineering and Industrial Applications Colloquium (BEIAC)*, 2013 IEEE, 2013, pp. 613–616.
-
- [225] M. I. Afridi, A. Latif, S. A. Niazi, and others, "Single fiber colorless symmetric WDM-PON architecture using time interleaved remodulation technique for mitigating Rayleigh backscattering resilience," *Optoelectronics Letters*, vol. 9, no. 1, pp. 38–41, 2013.
-
- [226] H. M. Al-Khafaji, S. A. Aljunid, and H. A. Fadhil, "Single photodiode detection for interference elimination in SAC-OCDMA systems," in *Photonics (ICP)*, 2013 IEEE 4th International Conference on, 2013, pp. 41–43.
-
- [227] Y. Khan, X. Xin, I. Afridi, A. Husain, and A. Latif, "Single-feeder fiber colorless wavelength-division-multiplexing passive optical network using differential

quadrature phase-shift keying downstream and intensity remodulated upstream signals,” *Optical Engineering*, vol. 52, no. 1, 2013.

[228] A. Satea Hikmat, M. Fareq, A. Malek, and K. W. Zainab Nazar, “Smart platforms surveillance system to enhance communication in disaster environments,” *International Journal of Engineering and Technology*, vol. 5, no. 2, pp. 649–658, 2013.

[229] H. M. Al-Khafaji, S. A. Aljunid, A. Amphawan, and H. A. Fadhil, “SOA/SPD-based incoherent SAC-OCDMA system at 9 \times 5Gbps,” *IEICE Electronics Express*, vol. 10, no. 5, 2013.

[230] F. FEI, B. ZHU, and F. HU, “Stable Transmission of DPSK Dispersion Management Soliton System [J],” *Communications Technology*, vol. 6, p. 016, 2013.

[231] M. A. Elmagzoub, A. B. Mohammad, R. Q. Shaddad, S. M. Idrus, and S. A. Al-Gailani, “Stacked TDM-PON with colorless ONU for NG-PON,” in *Photonics (ICP), 2013 IEEE 4th International Conference on*, 2013, pp. 250–252.

[232] F. Almasoudi, K. Alatawi, and M. A. Matin, “Study of OFDM Technique on RoF Passive Optical Network,” *Optics and Photonics Journal*, vol. 3, p. 217, 2013.

[233] M. Amel and C. Mohammed, “Study of Polarization Mode Dispersion in the Optical Digital Connection to High Bit Rate,” *International journal of Computer Networking and Communication*, vol. 1, no. 1, pp. 1–11, 2013.

[234] S. L. Zhao, “Study of the Bidirectional PON Performance Based on the Optisystem,” *Applied Mechanics and Materials*, vol. 385, pp. 1541–1545, 2013.

[235] M. Y. Aldouri, S. A. Aljunid, and H. A. Fadhil, “Study of the OCDMA Transmission Characteristics in FSO-FTTH at Various Distances, Outdoor,” *J. Opt. Commun.*, vol. 34, no. 2, pp. 127–133, 2013.

[236] G. Jiang and L. Huang, “Study on remodulation scheme based on a two-section reflective semiconductor optical amplifier,” in *Optical Communications and Networks (ICOON), 2013 12th International Conference on*, 2013, pp. 1–4.

[237] A. M. Hummadi, “Study Performance of the Fiber Bragg Grating as a Dispersion Compensator an Optical Transmission System Using Optisystem Software,” *JOURNAL OF MADENT ALELEM COLLEGE*, vol. 5, no. 2, p. 16, 2013.

-
- [238] J. Kumar, M. Bharti, and Y. Singh, "Sub-Carriers Multiplexing at Various Data Rates on Radio Over Fiber Systems," *International Journal of Advanced Research in Electronics and Communication Engineering*, vol. 2, no. 10, pp. 829–833, 2013.
-
- [239] S. Batti, N. Boudriga, and M. Zghal, "SUP'COM at the University of Carthage, Tunisia," in *High Capacity Optical Networks and Enabling Technologies (HONET-CNS)*, 2013 10th International Conference on, 2013, pp. 204–208.
-
- [240] F. Xiuhua, Z. Rongjiao, L. X. Du Yong, L. Jianjun, and H. Zhi, "Terahertz spectrum of tretinoin and folic acid," *Infrared and Laser Engineering*, vol. 5, p. 020, 2013.
-
- [241] B. Shilei, C. Cuizhu, D. Zhonghang, W. Ruidong, and Z. Zhen, "The Design of Optical Fiber Transmission System Based on DCDM," presented at the *International Conference on Advanced Computer Science and Electronics Information*, 2013.
-
- [242] Z. Zhang and others, "The Design of Optical Fiber Transmission System Based on DCDM," in *2013 International Conference on Advanced Computer Science and Electronics Information (ICACSEI 2013)*, 2013.
-
- [243] M. A. Elsherif and A. Malekmohammadi, "The Impact of Self-Phase Modulation on Dispersion Compensated Mapping Multiplexing Technique (MMT)," *International Journal of Electrical, Robotics, Electronics and Communications Engineering*, vol. 7, no. 8, pp. 582–588, 2013.
-
- [244] M. A. Zaki, A. A. El Aziz, H. A. Fayed, and M. H. Aly, "The impact of varying the detector and modulation types on inter satellite link (ISL) realizing the allowable high data rate," in *Future Generation Communication Technology (FGCT)*, 2013 Second International Conference on, 2013, pp. 44–47.
-
- [245] Z. HU and K. NIE, "The minor errors of Incoherent fiber Mach-Zehnder microwave photonic structure influencing the precision of radar microwave signal instantaneous frequency measurement," *Journal of Xingyi Normal University for Nationalities*, vol. 2, p. 032, 2013.
-
- [246] L. Qiao-yi, X. Yan-ling, X. Yang, W. Ming-ze, Z. Ji-yun, and M. Zhen-yu, "The simulation of FBG demodulation system based on the tunable FP filter," in *Measurement, Information and Control (ICMIC)*, 2013 International Conference on, 2013, vol. 1, pp. 337–340.

-
- [247] Z. Kornain, M. A. Abu, and M. Y. Yacob, "The Simulation of Indoor Service Range Prediction of Wireless Radio Access Point for Radio over Fiber System.," International Journal of Engineering & Technology, vol. 5, no. 1, 2013.
-
- [248] S. A. Nezamalhoseini, L. R. Chen, Q. Zhuge, M. Malekiha, F. Marvasti, and D. V. Plant, "Theoretical and experimental investigation of direct detection optical OFDM transmission using beat interference cancellation receiver," Optics express, vol. 21, no. 13, pp. 15237–15246, 2013.
-
- [249] M. Chen, Y. Song, and X. Zhang, "Transient effect to small duty-cycle pulse in cascaded erbium-doped fiber amplifier system," Optical Engineering, vol. 52, no. 2, 2013.
-
- [250] H. A. Bakarman, T. Eltaif, P. S. Menon, and S. Shaari, "Transmission and Security Performance of Passive Optical Network based on Optical CDMA System," in WSEAS International Conference. Proceedings. Recent Advances in Computer Engineering Series, 2013.
-
- [251] R. Umanath and A. S. Raja, "Transmission performance analysis of ROADM using holograms," in Information Communication and Embedded Systems , 2013 International Conference on, 2013, pp. 1197–1202.
-
- [252] P. Sivakumar and A. S. Raja, "Transmission Performance of Hybrid 2 \times 8 SCM/WDM System Based on EDFA, Raman and Hybrid Amplifiers," Digital Signal Processing, vol. 5, no. 3, pp. 97–101, 2013.
-
- [253] B. Patnaik and P. K. Sahu, "Ultra high capacity 1.28 Tbps DWDM system design and simulation using optimized modulation format," Optik-International Journal for Light and Electron Optics, vol. 124, no. 13, pp. 1567–1573, 2013.
-
- [254] R. Mehra, S. Jaiswal, and H. K. Dixit, "Ultrafast all-optical 4-bit digital encoders using differential phase modulation in semiconductor optical amplifier-Mach-Zehnder interferometer configuration," Optical Engineering, vol. 52, no. 3, 2013.
-
- [255] I. S. Amiri, D. Gifany, and J. Ali, "Ultra-short multi soliton generation for application in long distance communication," Journal of Basic Applied Scientific Research, vol. 3, no. 3, pp. 442–451, 2013.
-

-
- [256] O. Mohamed and others, "Virtual Point to Point Bidirectional Wavelength Division Multiplexing-Passive Optical Network by Employing Array Waveguide Grating," *Advanced Science Letters*, vol. 19, no. 5, pp. 1270–1275, 2013.
-
- [257] A. Emsia, Q. T. Le, D. Briggmann, and F. Küppers, "WDM-PON budget extension techniques for Nx10 Gbit/s DPSK signals," in *SPIE OPTO*, 2013.
-
- [258] A. Garadi and A. Djebbari, "Zero Cross-Correlation based on BIBD codes: Design, analysis and applications," in *Electronics, Communications and Photonics Conference (SIECPC), 2013 Saudi International*, 2013, pp. 1–3.